



Bldg:CS Record: 10311
Project ID: CS9701)
Phase I Environmental Assessment


**PHASE I
ENVIRONMENTAL SITE ASSESSMENT
Marion County Property
Tax Lots 100, 200, 600, 700, 6300, 6400, 6500, and 6600
Salem, Oregon 97301**

Prepared for:

**Dan Berrey
Courthouse Square, Inc.
340 Vista Ave. S.
Salem, Oregon 97308**

Prepared by:

CENTURY WEST ENGINEERING CORPORATION



Kathleen J. Thorpe
Kathleen J. Thorpe
Senior Project Manager

Robert G. Carson, R.E.P.A.
Environmental Scientist



Expires: 6/30/97

Thomas B. Gainer, P.E.
Senior Environmental Engineer

February 4, 1997

EXECUTIVE SUMMARY

Century West Engineering Corporation (Century West) was retained by Dan Berrey of Courthouse Square, Inc., to perform a Phase I Environmental Site Assessment (ESA) on the Marion County-owned property, Marion County Assessor's Tax Lots 100, 200, 600, 700, 6300, 6400, 6500, and 6600 located in Salem, Oregon. The property is located in Sections 22 and 27, Township 7 South, Range 3 West of the Salem West Quadrangle. The contiguous tax lots are located on a city block in downtown Salem bounded by Court, Church, Chemeketa and High Streets and comprise approximately 2.19 acres.

Based on a document review and field observations of the Marion County property, Century West has prepared the following conclusions.

- 1) Approximately fourteen underground storage tanks are known or suspected to have been located at the subject site. Four of the fourteen tanks were removed from the site for Marion County by a contractor in 1989. Detailed information concerning the condition of many of the tanks was not identified during this investigation.
- 2) Some former uses of the subject property include auto repair, auto storage, and battery repair activities which pose a potential environmental concern.
- 3) Asbestos-containing materials were observed on the subject property. Fluorescent fixtures, potentially equipped with ballasts containing polychlorinated biphenyls, were also observed at the site. Air conditioners potentially containing chlorofluorocarbons were observed at the site. Based on the age of the buildings, lead-based paint may have been used in the buildings on the property.
- 4) The underground storage tank located on the north side of the neighboring Courtway Building appears to be a former heating oil tank. There is also a heating oil underground storage tank under the floor of the furnace room at the neighboring Alex Liu property. Although these are not regulated tanks, there is potential for impact to the subject property from undetected leaks. The physical conditions of these tanks are unknown.
- 5) A review of regulatory information indicates that there has been a petroleum release on the nearby Statesman Journal property. Based on an anticipated groundwater flow direction to the northwest and the documented soil and groundwater contamination at the site, the Statesman Journal property would be upgradient of the subject property. Therefore, the Statesman Journal property may pose a significant environmental concern to the subject property.

Based upon the conclusions of this investigation of the Marion County property, Century West offers the following recommendations:

- 1) Additional environmental investigation of the site, including a Phase II ESA, is recommended. In order to provide a current assessment of the condition of the subject property and avoid delay on the construction phase, soil screening should be performed for worker safety and soil disposal issues.
- 2) Due to the former uses of the subject and adjacent properties, including the presence of underground storage tanks, Century West recommends the decommissioning of all underground storage tanks by removal after demolition of the buildings. Of the underground storage tanks identified to date, building removal would greatly enhance the accessibility to the tanks.
- 3) Soil and groundwater screening during the demolition and excavation phases is recommended. Soil and groundwater should be screened for total petroleum hydrocarbons in the gasoline, diesel and heavy oil range, heavy metals, polychlorinated biphenyls and volatile organic compounds as appropriate.
- 4) Asbestos-containing materials, lead-based paint, fluorescent lighting ballasts, and chlorofluorocarbons should be properly handled, removed, and disposed of by a qualified contractor prior to demolition.
- 5) Based on the numerous reports of environmental impacts off-site, groundwater screening on the upgradient side of the property is recommended, as part of the Phase II investigation, prior to excavation.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	i
1.0 INTRODUCTION	1
2.0 INFORMATION REVIEW	2
2.1 Oregon DEQ Lists	2
2.1.1 Underground Storage Tank (UST) Files	3
2.1.2 UST Cleanup List	3
2.1.3 Environmental Cleanup Division Files	6
2.1.4 Landfill Lists	7
2.2 Environmental Protection Agency (EPA) File Review	7
2.2.1 National Priority List (NPL) Review	8
2.2.2 Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) List Review	8
2.2.3 Resource Conservation and Recovery Information System (RCRIS) List Review	8
2.2.4 Emergency Response Notification System (ERNS) List Review	9
2.3 State Fire Marshal's Office File Review	9
2.4 Local Geological and Hydrologic Information	9
2.5 Aerial Photograph Review	10
2.6 Historic Sanborn Map Review	11
2.7 City of Salem Fire Marshall Office File Review	12
2.8 Marion County File Review	12
3.0 ADJACENT PROPERTIES	13
4.0 SITE EXAMINATION	14
4.1 Site History	15
4.2 Current Conditions	15
5.0 CONCLUSIONS	18
6.0 RECOMMENDATIONS	19
7.0 LIMITATIONS	20
8.0 REFERENCES	21

LIST OF FIGURES

- Figure 1: Vicinity Map
- Figure 2: Site Plan

LIST OF APPENDICES

- Appendix A: Vista Report
- Appendix B: Oregon State Fire Marshal Incident Reports
- Appendix C: Well Logs
- Appendix D: Aerial Photographs
- Appendix E: Sanborn Maps
- Appendix F: Site Photographs

**PHASE I
ENVIRONMENTAL SITE ASSESSMENT**

**Marion County Property
Tax Lots 100, 200, 600, 700, 6300, 6400, 6500, and 6600
Salem, Oregon 97301**

1.0 INTRODUCTION

Century West Engineering Corporation (Century West) was retained by Dan Berrey of Courthouse Square, Inc., to perform a Phase I Environmental Site Assessment (ESA) on the Marion County-owned property, Marion County Assessor's Tax Lots 100, 200, 600, 700, 6300, 6400, 6500, and 6600 located in Salem, Oregon (Figure 1). The property is located in Sections 22 and 27, Township 7 South, Range 3 West of the Salem West Quadrangle. The contiguous tax lots are located on a city block in downtown Salem bounded by Court, Church, Chemeketa and High Streets and comprise approximately 2.19 acres (Figure 2).

The purpose of the Phase I ESA is to assess the environmental condition of the subject property. The Phase I ESA consisted of two distinct tasks: (1) a review of reasonably ascertainable documents and of oral information and (2) a site examination. Conclusions and recommendations within this report are based solely on observed evidence and data collected during the performance of the Scope of Services. The Phase I ESA was completed in accordance with the ASTM Standard Practice for Environmental Site Assessments, E 1527-94.

The findings of the Phase I ESA are presented in the following sections:

- 2.0 Information Review
- 3.0 Adjacent Properties
- 4.0 Site Examination
- 5.0 Conclusions
- 6.0 Recommendations

2.0 INFORMATION REVIEW

The purpose of the information review task was to gather environmentally related data on the sites prior to the site examination. The informational review consisted of two subtasks: (1) retain VISTA, Inc., to review various environmental regulatory lists and files published by federal and State of Oregon agencies; and (2) compile a brief history of the sites and site vicinity to determine if past operations pose an environmental risk to the project site. The information review enabled Century West personnel to gain knowledge of the types of activities performed at the sites, identify data gaps prior to the examination, and recognize discrepancies between reported and observed data.

A knowledge of past and current activities performed at the sites enabled Century West personnel to research the types of potential environmental concerns which may be associated with a particular activity. Data gaps identified during the document review were filled by interviewing facility personnel, by observations during the site examination or by additional detailed investigation. Discrepancies in recorded data are reported and, where possible, clarified by interviewing facility personnel.

Century West obtained and reviewed an expanded radius site profile for the project site area from VISTA which meets the specific requirements of the ASTM Standard. The VISTA record search also included a review of information sources which are not required by the ASTM standard. Non-ASTM information identified in the VISTA report is summarized in the text if relevant to site conditions. A copy of the VISTA report is included in Appendix A. In addition to the VISTA report, site information was reviewed from a variety of state and local agencies. The following sections summarize the information obtained from the VISTA report, interviews, and document review:

2.1 Oregon Department of Environmental Quality Lists

- 2.1.1 Underground Storage Tank Files
- 2.1.2 UST Cleanup Lists
- 2.1.3 Environmental Cleanup Division Files
- 2.1.4 Landfill Lists

2.1.1 Underground Storage Tank (UST) Files

A review of the Oregon Department of Environmental Quality (DEQ) Underground Storage Tank (UST) Program files provided no record of registered USTs on the Marion County property. Although no registered tanks are listed on the subject property, there are several known or suspected unregistered tanks located on the subject property which are addressed in Section 2.8.

DEQ UST Program files indicated that 24 registered UST sites are located within three-eighths of a mile of the subject property. The VISTA map of registered UST locations, located in Appendix A, identifies the locations of these sites. The closest active USTs are located at the Center Street Cardlock facility, approximately one-tenth of a mile east of the subject property.

2.1.2 UST Cleanup List

A review of the DEQ's UST Cleanup List indicated thirty-six spills or release incidents from leaking underground storage tanks (LUSTs) have occurred within three-eighths of a mile of the Marion County property. The release sites which are located on, adjacent to and cross gradient or up-gradient from the subject property are reviewed in this section.

Releases on the Subject Property

A *Chevron* gasoline station was located at 595 Court Street NE (Tax Lot 200) of the subject property at the intersection of Court and Church Streets from the 1940s until 1985. The *Chevron* site had six fuel USTs, one used-oil UST, and one heating oil UST. The USTs were removed in 1985 prior to the promulgation of current DEQ UST regulations.

Chevron, which has taken responsibility for remediation of the property, subsequently conducted investigations of this site which indicate that petroleum hydrocarbons have impacted subsurface soil and groundwater conditions on the property. The most recent soil sampling data indicates oil and gasoline-range petroleum hydrocarbons exceeding the applicable Oregon DEQ cleanup limits remain on the subject property. In addition, oil-impacted soil is present along the north half of the east wall of the adjacent Alex Liu property.

Nine monitoring wells were installed on and adjacent to the former *Chevron* site for groundwater monitoring and remediation. Analytical data indicates that benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations in groundwater at the site exceed applicable DEQ cleanup levels. A remediation system, consisting of soil vapor extraction and air sparging is currently operating on the site. Based on the inferred direction of local groundwater flow to the northwest, the petroleum release at this site may have impacted subsurface conditions on other areas of the subject property block.

Marion County had a leaking underground storage tank located at 255 Church Street (the Beri Building) on Tax Lot 6500. The leak from a heating oil UST located behind the Beri building was discovered during decommissioning of four tanks in November 1989. Soil and groundwater were impacted by the release. In 1990, approximately 15 cubic yards of soil were removed from the site. Confirmation soil sampling indicated that the most stringent DEQ cleanup level for soil had been achieved in the excavation. Analysis of groundwater samples, collected in February 1992, indicated BTEX and polynuclear aromatic hydrocarbons (PAHs) concentrations were not present above the applicable detection limits. The DEQ issued a no further action (NFA) letter for the site in August 1992.

Releases near the Subject Property

The *Statesman Journal* site is located at 280 Church Street, immediately east of the subject property. A subsurface gasoline release was discovered during decommissioning of an abandoned UST in September 1988. Subsequent investigation of the property indicated that soil and groundwater were impacted by petroleum hydrocarbons and that the contamination migrated off-site. Cleanup started in March 1992, and groundwater monitoring and unspecified "passive remediation" continues at the site. The Statesman Journal has plans for expansion of their existing building to the south onto the area where the contamination originated. The expansion plans specify removal of soil to a depth of 14 feet. Additional passive remediation is proposed to continue following the expansion. This site is located in an up gradient position from the subject property based on the inferred direction of local groundwater flow.

The *Marion County Courthouse* site is located at 100 High Street, approximately 0.07 miles southwest of the subject site. A diesel release, from overfilling of the UST, was discovered during decommissioning of the tank in November 1989. Soil was impacted by petroleum hydrocarbons. Analyses of confirmation samples collected during decommissioning activities indicated concentrations of diesel below DEQ cleanup levels. The DEQ issued an NFA letter for the site in September 1990.

The *Pacific First Bank* site is located at 580 State Street, approximately 0.09 miles southwest of the subject site. A gasoline release was discovered in November 1991. Soil and groundwater were reportedly impacted by the release. Remediation was completed October 1994 and the DEQ issued an NFA letter in October 1994. Relative to the inferred direction of local groundwater flow, this site is located in a cross-gradient position to the subject property.

The *Willamette University Gatke Hall* site is located at 100 High Street, approximately 0.09 miles southwest of the subject site. A diesel release was discovered in November 1989 during tank decommissioning activities. Soil at the site was impacted. Analyses of confirmation samples collected during decommissioning activity indicated concentrations of diesel at 360 parts per million (ppm), which is below the reported cleanup level of 500 ppm.

The *Monterey Apartments* are located at 633 Ferry Street, approximately 0.14 miles south of the subject site. Soil contamination at the site was caused by a leaking heating oil UST. Cleanup at this site has reportedly been completed within DEQ guidelines.

The *Barrick's Funeral Home* site is located at 205 Church Street SE, approximately 0.15 miles south of the subject site. A gasoline release was discovered during tank decommissioning activities in December 1990. Soil at the site was impacted. Remediation was completed in March 1991 and the DEQ issued an NFA for the site in March 1991.

The *Park Place Office Building* site is located approximately 0.17 miles south of the subject site. A leaking heating oil tank was discovered in January 1993. Soil and groundwater at the site were impacted. Cleanup at the site started in January 1993 and soil was removed for biotreatment off-site. Relative to the inferred direction of local groundwater flow, this site is located cross gradient and up gradient from the subject property.

The *Willamette University York Hall* site is located at 900 State Street, approximately 0.25 miles southeast of the subject property. A diesel release, resulting from tank overfills, was discovered during decommissioning activities in November 1989. Soil at the site was impacted. This file was not available for review at the Salem DEQ office.

The *Frances Apartments* site is located at 555 Winter Street, approximately 0.26 miles northeast of the subject property. A diesel spill from a leaking UST was discovered in August 1993. Soil and groundwater at the site were impacted by the release. Cleanup started in September 1993. The tank was decommissioned in place in September 1993, preventing further release of diesel fuel. No evidence of widespread contamination was found on the site.

The *Oregon State Police/Public Services Building* site is located at 240 E Summer Street, approximately 0.28 miles east of the subject site. A gasoline release, resulting from tank overfilling, was discovered during decommissioning activities in August 1991. Soil at the site was impacted. Cleanup at the site was completed in September 1991.

The *US West II* site is located at 745 Mill Street, approximately 0.28 miles south of the subject property. A gasoline release, due to tank overfills, was discovered during UST decommissioning activities in October 1995. Petroleum-impacted soil was removed from the site. Groundwater contamination was apparently confined to the tank excavation pit. Relative to the inferred direction of local groundwater flow, this site is located cross gradient and slightly up gradient from the subject property.

The *Salem Surgery* site is located at 700 Bellevue Street, approximately 0.35 miles south of the subject property. A diesel leak from a UST was discovered in January 1995 during decommissioning activities. Soil at the site was impacted. Relative to the inferred direction of local groundwater flow, this site is located cross gradient to the subject property.

The *Ole's Auto Service/Bellinger Tire/Bellinger Brothers/B & B Properties/Union 4332 II* site is located at 210 Capitol Street, approximately 0.34 miles east of the subject property. There have been several reported petroleum releases at this site. A pipe leaking leaded gasoline was discovered in August 1975. A UST leaking gasoline was discovered in November 1987 which resulted in petroleum impacts to soil and groundwater. Cleanup of the gasoline leak started in March 1992. Soil and groundwater were impacted by the release. In addition, A leak of hydraulic fluid from a hydraulic lift was discovered at the site in July 1992. Soil at the site was impacted by the hydraulic fluid release. Information in the DEQ files did not provide information regarding the current status of remedial activities at this site. This site is located up gradient from the subject property relative to the inferred direction of local groundwater flow.

2.1.3 Environmental Cleanup Division Files

The DEQ Environmental Cleanup Division (ECD) identifies and tracks contaminated sites within Oregon through the Environmental Cleanup Site Information (ECSI) list and Confirmed Release List and Inventory (CRL). The ECSI List is an electronic filing system of sites in Oregon with contamination or potential contamination from hazardous substances. The CRL lists sites with confirmed releases of hazardous substances which require further investigation and cleanup. DEQ previously maintained this list under the name of the Site Assessment Database.

A review of the current DEQ ECD files provided no record indicating that a release of hazardous substances has occurred at the Marion County property.

The state list provided by VISTA identified six facilities within one-half of a mile of the subject site. The locations of these sites are shown in Appendix A.

The *Statesman-Journal* site, located immediately east of the subject property, is listed in the ECSI files due to the petroleum release at the former service station. DEQ oversight of the release investigation has been transferred to the UST program. Information concerning this site is discussed above in Section 2.1.2.

The former *Roberson Motors* site is listed in the ECSI files. This site is located at 435 Commercial Street, approximately 0.18 miles northwest of the subject property. During site renovation in 1991, polychlorinated biphenyls (PCBs) from hydraulic oil were found to have impacted soil near the hydraulic lift location at the site. In addition, releases of gasoline and diesel reportedly impacted groundwater at the site. The site has been "renovated" and is now occupied by an office building and a bridge on-ramp. Relative to the inferred direction of local groundwater flow, this site is located down gradient of the subject property.

The *Boise Cascade-Minto Island* site is located at 315 Commercial Street, approximately 0.28 miles southwest of the subject property. Contamination at the sulfite pulp and paper mill includes

heavy metals, asbestos, and PCBs. Relative to the inferred direction of local groundwater flow, this site is located in a hydrologic cross gradient position to the subject site.

The *Old Delon Mitsubishi* site is located at 660 Liberty Street, approximately 0.30 miles north of the subject property. Hydraulic oils and solvents impacted soil at this site. Relative to the inferred direction of local groundwater flow, this site is located in a hydrologic down gradient and slightly cross gradient position to the subject property.

The *Ole's Auto Service/Bellinger Tire/Bellinger Brothers/B & B Properties/Union 4332 II* site is located at 210 Capitol Street, approximately 0.33 miles east of the subject property. A 300-gallon release of gasoline from a tank is indicated for this site. This site was discussed above in Section 2.1.2. Relative to the inferred direction of groundwater flow, this site is located in a hydrologic up gradient position from the subject property.

The *Salem Landfill* site is listed in the ECSI files. Information concerning this site is discussed below in Section 2.1.4.

2.1.4 Landfill Lists

The *Brown Island Landfill* has been identified in state records as the *former Salem Landfill* located at 433 Ferry Street. However, in personal communication Salem DEQ personnel indicated that no landfill activity has taken place at the Ferry Street address.

The *Brown Island Landfill* is located on an island in the Willamette River floodplain approximately two miles southwest of the subject site. The landfill, part of which is closed, is reported to contain numerous hazardous substances. Relative to the inferred direction of local groundwater flow, the landfill is located in a cross gradient and slightly down gradient hydrologic position to the subject site.

2.2 Environmental Protection Agency (EPA) File Review

- 2.2.1 National Priority List (NPL) Review
- 2.2.2 Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) List Review
- 2.2.3 Resource Conservation and Recovery Information System (RCRIS) List Review
- 2.2.4 Emergency Response Notification System (ERNS) List Review

2.2.1 National Priority List (NPL) Review

The National Priorities List (NPL) identifies priority hazardous waste sites for remedial actions under the U.S. Environmental Protection Agency (EPA) Superfund program.

The list indicates the Marion County property is not an NPL site. No NPL sites were identified within one mile of the subject site.

2.2.2 Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) List Review

The EPA publishes a list of sites that may potentially pose a threat to the environment or the health of the general public. This list is known as the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list.

The list indicates the Marion County property is not a CERCLIS site.

Two CERCLIS sites, the *City of Salem Landfill* and *Salem Gas Manufacturing* were identified within a one-half mile radius of the subject site. The Salem Landfill was discussed above in Section 2.1.4.

The *Salem Gas Manufacturing* site is located at Chemeketa and Water Streets, approximately 0.30 miles to the west of the subject site. The file for this site was not available for review at the Salem DEQ office. The VISTA report indicates that there is "no further remedial action planned" for this site. Relative to the direction of local groundwater flow, this site is located hydrologically down gradient from the subject site.

2.2.3 Resource Conservation and Recovery Information System (RCRIS) List Review

The Resource Conservation and Recovery Information System (RCRIS) includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Information in the list indicates the Marion County property is not a regulated hazardous waste generator.

Fifteen RCRIS sites were identified within three-eighths of a mile of the subject property. The Statesman Journal, a small quantity generator of hazardous waste, is the only RCRIS site adjacent to the subject property.

The EPA also regulates the management of hazardous waste at Transportation, Storage, and Disposal (TSD) facilities. Information in the list indicates the Marion County property is not a TSD facility. The list identified no TSD facilities within a one mile radius of the project site.

2.2.4 Emergency Response Notification System (ERNS) List Review

The ERNS List is a national compilation of releases of oil and hazardous substances reported to the EPA, Coast Guard, National Response Center, and the Department of Transportation.

The Marion County property is not an ERNS site. No ERNS sites are identified within three-eighths of a mile of the subject site.

2.3 State Fire Marshal's Office File Review

The State Fire Marshal's Office maintains the "Listing of All HazMat Incidents as Reported to the State Fire Marshal from 1987 to 1995." There is one report for the address of the subject property and a second report for the address of an adjacent property across Court Street from the subject site. Copies of the reports are included as Appendix B.

In June 1993, a two-inch gas line under the sidewalk located on the south side of the block along Court Street was ruptured by a construction crew during installation of a fiber optic line. Gas entered buildings on the city block containing the subject property through the utility tunnel for the fiber optic line. The utility tunnel for the fiber optic line connects the Senator Hotel building with the Marion County Courthouse across Court Street. Approximately 260 people were evacuated from buildings on the block.

In August 1991, a parked vehicle in the vicinity of 500 Court Street was noticed to be leaking gasoline from an overfilled and overheated gasoline tank. A pollution control unit responded and cleaned up the released gasoline.

2.4 Local Geological and Hydrologic Information

The subject property is located in the central part of Oregon's Willamette Valley. The Willamette Valley is a structural depression bordered to the east and west by the Cascade Range and the Coast Range, respectively. The valley has been filled with alluvial sediments deposited by the Willamette River and its tributaries. The surface soils in the vicinity of the site consist of the Woodburn silt loam series, a moderately well drained soil that has formed in silty alluvium and loess of mixed mineralogy. These soils are on broad valley terraces. This soil has slopes of zero to 1 percent.

Groundwater flow appears to be toward the northwest to the Willamette River from the subject property. The groundwater is replenished primarily by direct infiltration of precipitation which averages about 40 inches per year in Salem. The principal aquifer in the area is the coarse sandstone and conglomerate beds of the Troutdale Formation. This aquifer yields moderate to large quantities of water to properly constructed wells.

Numerous water and monitoring well logs installed near the site were identified during research at the Oregon State Water Resources Department. Several of the monitoring wells were observed at the former Chevron station on the subject property and at Statesman Journal during the site vicinity visit by Century West staff. Although there are a number of wells on record in the area, many of the logs do not have addresses so the exact well locations cannot be determined. It is possible that wells exist on the site but may have been drilled before August 3, 1955, which is the date filing of well logs was mandated. Well logs for the vicinity are included as Appendix C.

2.5 Aerial Photograph Review

Aerial photographs of the subject property and vicinity for the years 1936, 1944, 1958, 1971, 1980, and 1996 were examined. Observations for each photograph are listed below. Copies of the aerial photographs of the subject area are included as Appendix D.

1936 - The entire block has been developed. The Senator Hotel is present in the southwest corner of the block. Two single story buildings are located in the west center side of the block. A service station is located on the northwest corner of the block. A tractor sales/auto repair building is located on the north center of the block. Saint Pauls Church is located on the northeast corner of the site. Buildings housing an auto repair business and the Beri building are located on the east center on the subject property. Three residences are located on the southeast corner of the block. A residence is located between the Liu and Goodman buildings on the south center side of the block, contiguous to the subject property. Service stations are present on the adjacent Statesman Journal property, located east of the subject property, and northwest of the northwest corner of the block at the First Security bank building site. The old City Hall building is located to the west of the subject property.

1944 - The only significant change on the subject property appears to be the addition of the Standard service station on the southeast corner of the block.

1958 - The gas station on the southeast corner of the block has doubled in size following the apparent removal of a residence formerly located adjacent to the west of the gas station. A parking lot has replaced the church buildings on the northeast corner of the block. The residence and trees on the Goldberg property adjacent to the south of the subject property appear to have been replaced with a large commercial building that

now occupies the entire lot. The Statesman Journal building is present to the east of the subject block. Some of the adjacent blocks no longer have residences and have become significantly more commercial in nature.

- 1971 - A parking structure has replaced the parking lot and a building at the northeast corner of the block. Two or three buildings at the northwest corner of the block, including the service station, have been replaced by a parking lot. The service station on the adjacent First Security Bank site has been replaced by the bank building. The Statesman Journal building has been expanded to the south.
- 1980 - The Chevron service station has replaced the Standard station on the southeast corner of the block. The old City Hall building has been replaced by a parking lot.
- 1996 - The Chevron station has been demolished. This photograph was taken during the February floods of 1996. Numerous streets in the area surrounding the subject property were impacted by the flooding.

2.6 Historic Sanborn Map Review

Sanborn fire insurance maps of the subject property for the years 1884, 1888, 1890, 1895, 1926, 1950, and 1978 were examined. Observations for each map are listed below. Copies of the Sanborn Fire Insurance Maps of the subject area are included as Appendix E.

- 1884 - Dwellings, stables, and sheds are the predominant development on this city block. A church occupies the northeast corner of the block.
- 1888 - The Goldberg property is identified as the Willamette Valley Apiary, a vacant bee hive facility. A shed is located in the northwest corner of the Goldberg site.
- 1890 - Structures at the subject property appear unchanged. The BeeHive Storage facility is no longer identified as occupying space on the larger property which includes the Goldberg site. The other surrounding properties appear unchanged.
- 1895 - The Goodman property is now occupied by a two-story dwelling and the shed previously shown in the northwest corner of the Goldberg site is no longer present. A two-story dwelling is also present at the Goldberg property.
- 1926 - This map shows many changes to the subject and surrounding properties. Most of the lots on the block are more fully developed and commercial development is now predominant. Commercial activity includes auto supply, auto storage, auto repair, battery repair, a dance hall, and offices. A gas and oil facility is now present on the

northwest corner of the city block. Fuel tanks are identified along the west side of the station and in front of the auto supply store immediately south of the station. Single family dwellings are still present in the southeast one-quarter of the block. The Goodman site is now occupied by a larger building which includes an office with an adjoining fireproof vault in the rear and a battery repairing facility adjacent to the east.

1950 - Commercial activity on the block has increased and diversified further. Two dwellings on Court Street in the southeast corner of the block have been replaced by the Standard service station. The Hotel Senator now occupies a large portion of the southwest corner of the block. The Beri building is identified as a movie theater. The battery repair facilities located on the subject property and the Goldberg site in 1926 are no longer present. The dwelling adjacent to the south on the Liu property is now identified as an apartment building.

1978 - The gas station formerly located on the northwest corner of the city block is now replaced by a parking lot. The church formerly located on the northeast corner of the block has been replaced by a parking lot. The Hotel Senator still occupies a portion of the western half of the city block. Offices and store fronts have replaced most of the single family dwellings on the rest of the city block. The apartments on the Goldberg property have been replaced by a larger building which now occupies the entire lot.

2.7 City of Salem Fire Marshal Office File Review

The City of Salem Fire Department examined their files for information and/or permits related to USTs and/or hazardous materials located on the subject block. Fire Marshal office personnel reported that no relevant information was identified in the files.

2.8 Marion County File Review

Historical building plans for the Senator and Beri buildings and a UST removal file were examined at the Marion County Maintenance Department office.

Plans for construction and renovation of the Senator building show two heating oil USTs. The original UST, shown on a May 1927 plan, was located between the hotel and High Street immediately north of a delivery elevator. The second UST, in a 1948 drawing, was located in the alley on the east side of the hotel. The status of the 1927 UST is not known. The 1948 UST, reportedly an 8,000-gallon tank, was removed by a contractor for Marion County in 1989 and is discussed below.

Marion County files indicate four unregistered heating oil USTs were removed from the subject property by a contractor in 1989. The USTs, three of which were removed from the alleyways, included a UST behind the Beri Building, the 8,000-gallon tank east of the Senator Hotel, a tank near the southwest corner of the garage north of the Liu building, and a 100-gallon residential UST at 245 Church Street.

As discussed in Section 2.1.2 of this report, a fuel release was discovered during decommissioning of the tank behind the Beri building. County files contain two reports regarding the investigation and cleanup of the release. Documentation of the removal of the Senator Hotel UST in the file included photographs but did not include analytical data. The file did not contain photographs or analytical data for the removal of the garage or residential USTs.

3.0 ADJACENT PROPERTIES

A site walk of the adjacent properties was performed on January 9, 1997. The subject site includes most of the downtown Salem city block which is bounded to the north by Chemeketa Street, to the east by Church Street, to the south by Court Street, and to the west by High Street (Figure 2). There are three properties located on the south-center portion of the block which are the subject of previous Phase I ESA investigations and are not part of the subject property, the Goodman property (Tax Lot 500), the Goldberg property (Tax Lot 400), and the Liu property (Tax Lot 300) (Photograph 1). No surficial evidence of stained soil or stressed vegetation was noted along the margins of the subject property.

The structure on the Goodman property is occupied by the Court Street Dental Clinic, a dental care facility (Photograph 1). The east-west alleyway located on the north side of the building is an easement included in the Goodman property tax lot. The premises have been used as a dental facility for approximately 50 years. Prior to use as a dental facility, the subject site was occupied by a title company. The clinic occupies all of the building and between one-third and one-half of the ground floor in the northwest section of the Goldberg property building, adjacent to the east. The clinic includes a waiting room/reception area, examination rooms, offices, x-ray room, laboratories, darkroom, kitchen/break room, record storage vault, laundry room, furnace room, storage room, and an unoccupied storage building. An approximately 200-gallon aboveground storage tank (AST) located in the parking area to the north of the building currently provides oil for the furnace. No staining or sheen was observed under the AST. The condition of a heating oil UST formerly located in the alley is not known.

Adjacent to the east of the Goodman site is the Goldberg property, a two-story building which is fully developed with law offices and a retail storefront coffee house (Photograph 1). Adjacent to the east of the Courtway building is a north-south trending alley. In the alley near the northeast corner of the Courtway building is a circular concrete manhole-type cover in the asphalt pavement (Photograph 2). This feature may be a sump or septic tank. An unregistered UST may have been

identified in the east-west alley, behind the Goldberg property, adjacent to Tax Lot 600. The approximate locations of the tanks are shown in Figure 2.

On the east side of the alley is a two-story building (Alex Liu property) with two retail spaces housing a liquor store and a wine store on the ground floor and twelve apartments on the second floor (Photograph 1). Based on the findings of a previous site investigation at the Liu property, there is a heating oil UST located under the floor of the furnace room at this site.

On the city block to the north of the block occupied by the subject site are the Commercial Bank, a parking structure, and retail businesses. On the block to the northwest is the First Security bank. On the block to the west are the First Interstate Bank, a parking lot, apartments and retail businesses. On the block to the southwest are the Oddfellows and the Salem Area Transit office and bus mall. The block to the south is occupied by the Marion County Courthouse and parking structure. The block to the southeast is occupied by the State of Oregon Administrative Services building. On the block to the east is the Statesman Journal newspaper. Offices are located on the block to the northeast.

The release at the Statesman Journal has been identified as having caused significant environmental impact to soil and groundwater (Photograph 2). The Statesman Journal is the closest facility to the subject property with a documented impact to the environment which has migrated off-site.

4.0 SITE EXAMINATION

A site examination of the Marion County property was conducted on January 9, 1997. The examination included a visual inspection of the representative exterior and interior areas of the subject property for evidence of environmental concerns. Some of the information regarding the subject property included in this report was provided by Marion County personnel including Mr. Bob McCune. The site examination was completed by traversing the site on foot. Most of the site is covered by buildings, asphalt, or concrete. It was cool and partly cloudy on the day of the site visit. No visual evidence of significant areas of stained soil or stressed vegetation was noted during the site visit. The Marion County property is currently slated for demolition. Future plans include excavation and removal of approximately fourteen feet of soil from the entire block. Photographs of the property are included in Appendix F.

The subject site is an approximate 2.2-acre, irregular-shaped parcel of land located in downtown Salem. It consists of most of the city block which is bounded to the north by Chemeketa Street, to the east by Church Street, to the south by Court Street, and to the west by High Street (Figure 2). There are three properties located on the south-center portion of the block which are the subject of previous Phase I ESA investigations and are not part of the subject property. The

property is located in Tax Lots 100, 200, 600, 700, 6300, 6400, 6500, and 6600 in Sections 22 and 27, Township 7 South, Range 3 West of the Salem West Quadrangle (Figures 1 and 2).

4.1 Site History

The property was developed prior to 1884, the earliest reasonably ascertainable records obtained for this investigation. From 1884 until approximately 1895, the subject property was the site of single family residences and a church. Between 1895 and 1926 the subject property changed from primarily residential use to primarily commercial use. Most of the buildings currently located on the block were built before the 1940s. Several former buildings on the block were demolished and replaced by parking lots beginning in the 1960s.

4.2 Current Conditions

Senator Hotel (Tax Lots 600, 700, and 6400)

The four-story Hotel Senator building, which was built in 1927, occupies most of the southwest corner and west-center portions of the block (Photograph 3). The street level of the hotel building is either vacant or occupied by storefront retail businesses, including the Mar Po Federal Credit Union in the southwest corner of the building. Until early January 1997, the second, third, and fourth floors of the portion of the hotel located in the southwest corner of the property (Tax Lot 700) consisted of apartments. Marion County rented the apartments to people on public assistance (Photograph 4). The west-central portion of the Hotel building (Tax Lots 600 and 6400) is occupied by Marion County offices and the Marion County Housing Authority (Photograph 5). Most of the basement of the building is used for storage by the county (Photograph 6). Three air-conditioning units are located on the roof of the building.

The building is currently heated by a natural gas-fired furnace (Photograph 7). In 1989 a heating oil UST was removed from the alley located east and south of the hotel subject property (Photograph 8). Two potential fill ports for USTs and two sewer clean out pipes were identified in this alley. The boilers and some of the piping in the furnace room were observed to be covered with insulation. Labels on the insulation indicated it contained asbestos. A possible UST ventline was observed on the west side of the Senator Hotel building north of the lobby entrance.

Northwest Parking (Senator) Lot (Tax Lot 6300)

A Marion County parking lot occupies the northwest one-quarter of the city block (Photographs 9 and 10). This portion of the property was formerly used by a service station, auto repair business, tractor sales, a restaurant, and for battery repairs. The service station was located on the corner of the block from 1926 through 1961. The location of the USTs at the station was not

clearly identified during this investigation. However, fire insurance maps of the site suggest that eight USTs were located near the sidewalk along High Street. A concrete manhole-type cover was observed in the asphalt surface of the parking lot (Photograph 11). The identity of this feature is not known but it may be a sump or septic tank. An underground electric utility vault is located in the southeast corner of the lot.

Northeast Parking Structure (Tax Lot 6600)

Adjacent to the east of the former service station and alley is a two-story Marion County parking structure which was built prior to 1971. County offices and retail storefronts are present on the street level (Photographs 12 and 13). The retail office space had been vacated at the time of the site visit. This portion of the property was formerly used by a church (from the 1880s through the 1950s) and an auto repair business.

The building is heated by a natural gas-fired furnace (Photograph 14). The boiler and some of the piping in the furnace room were observed to be covered with insulation. Labels on the insulation indicated it contained asbestos.

Beri Building (Tax Lot 6500)

Adjacent to the south of the Marion County parking structure is the Beri Building (Photograph 15). The building is currently used for storage of county archive material (Photograph 16). The building was recently remodeled for this purpose. The remodel included the construction of a raised floor in the eastern two-thirds of the building. This building was formerly used for vaudeville shows, a movie theater, and an auto repair business.

In 1989 a petroleum release was discovered when a heating oil UST for the building, located to the west of the building in the alley, was decommissioned by removal (Photograph 17). After a relatively small volume of contaminated soil was removed and cleanup was confirmed, the DEQ issued a no further action letter for the site in 1992. The LUST file for this site is discussed in Section 2.1.2.

Open and Covered Parking Lot (Tax Lot 100)

The property immediately south of the Beri Building is a parking area for Marion County offices. The east portion of the parking area is an open and paved lot (Photograph 15). The western portion of the lot is covered by a concrete brick structure which was formerly a vehicle repair facility. Marion county personnel indicated that vehicle hoists were located on the south interior portion of the building.

A contractor removed two heating oil USTs from this site for Marion County in 1989. One of the USTs was located in the alley near the southwest corner of the former repair facility

(Photograph 18). The second tank was a 100-gallon UST which had been used to heat a residence formerly located in the eastern portion of the lot. The Marion County file regarding these tank removals did not contain any relevant analytical data.

Former Chevron Service Station (Tax Lot 200)

South of the parking lot and east of the Liu property is a fenced vacant lot which is the former location of a Standard service station from 1940 through 1971 and Chevron service station from 1972-1985 (Photographs 19 and 20). The service station structures are no longer on the site which is now covered with soil and grass. A petroleum release was discovered at the site in 1989. The LUST file for the site is discussed in Section 2.1.2. Groundwater monitoring wells and a groundwater remediation system were observed at this site. The remediation system was active at the time of the visit. Chevron has taken responsibility for remediation of the petroleum release on the property.

North-South Alley

A north-south trending alley, which is a city right of way, divides the block in half. Many public and private utilities including gas, storm sewer, and telephone lines are located in the alley. Two heating oil USTs, owned by Marion County, were removed from the alley at the Beri Building and the former garage north of the Liu Building in 1989.

5.0 CONCLUSIONS

Based on a document review and field observations of the Marion County property, Century West has prepared the following conclusions.

- 1) Approximately fourteen underground storage tanks are known or suspected to have been located at the subject site. Four of the fourteen tanks were removed from the site for Marion County by a contractor in 1989. Detailed information concerning the condition of many of the tanks was not identified during this investigation.
- 2) Some former uses of the subject property include auto repair, auto storage, and battery repair activities which pose a potential environmental concern.
- 3) Asbestos-containing materials were observed on the subject property. Fluorescent fixtures, potentially equipped with ballasts containing polychlorinated biphenyls, were also observed at the site. Air conditioners that potentially contain chlorofluorocarbons were observed at the site. Based on the age of the buildings, lead-based paint may have been used in the buildings on the property.
- 4) The underground storage tank located on the north side of the neighboring Courtway Building appears to be a former heating oil tank. There is also a heating oil underground storage tank under the floor of the furnace room at the neighboring Alex Liu property. Although these are not regulated tanks, there is potential for impact to the subject property from undetected leaks. The physical conditions of these tanks are unknown.
- 5) A review of regulatory information indicates that there has been a petroleum release on the nearby Statesman Journal property. Based on an anticipated groundwater flow direction to the northwest and the documented soil and groundwater contamination at the site, the Statesman Journal property would be upgradient of the subject property. Therefore, the Statesman Journal property may pose a significant environmental concern to the subject property.

6.0 RECOMMENDATIONS

Based upon the conclusions of this investigation of the Marion County property, Century West offers the following recommendations:

- 1) Additional environmental investigation of the site, including a Phase II ESA, is recommended. In order to provide a current assessment of the condition of the subject property and avoid delay on the construction phase, soil screening should be performed for worker safety and soil disposal issues.
- 2) Due to the former uses of the subject and adjacent properties, including the presence of underground storage tanks, Century West recommends the decommissioning of all underground storage tanks by removal after demolition of the buildings. Of the underground storage tanks identified to date, building removal would greatly enhance the accessibility to the tanks.
- 3) Soil and groundwater screening during the demolition and excavation phases is recommended. Soil and groundwater should be screened for total petroleum hydrocarbons in the gasoline, diesel and heavy oil range, heavy metals, polychlorinated biphenyls and volatile organic compounds as appropriate.
- 4) Asbestos-containing materials, lead-based paint, fluorescent lighting ballasts, and chlorofluorocarbons should be properly handled, removed, and disposed of by a qualified contractor prior to demolition.
- 5) Based on the numerous reports of environmental impacts off-site, groundwater screening on the upgradient side of the property is recommended, as part of the Phase II investigation, prior to excavation.

7.0 LIMITATIONS

In part, these findings, conclusions and recommendations are based on the best available information known or made available by regulators, other consultants or other sources. Over time, the surficial evidence of some activities is obscured or obliterated entirely. It is possible that certain adverse conditions which were not detected in this evaluation could exist at the site.

The services provided under this contract as described in this report include professional opinions and judgments based on data collected. These services have been provided according to generally accepted engineering practices. The opinions and conclusions contained in this report are typically based on information obtained from:

1. Observations and measurements made by our field staff.
2. Contacts and discussions with regulatory agencies and others.
3. Review of available hazardous substance or solid waste lists.
4. Opinions and judgments of Century West based on the information available.

Courthouse Square, Inc. (the **CLIENT**), acknowledges that Century West has been retained for the sole purpose of assisting the **CLIENT** in evaluating the environmental liability associated with the project site. It is recognized and agreed that Century West has assumed responsibility only for performing this investigation and presenting this report and conclusions to the **CLIENT**. The responsibility for making any further evaluation, disclosure or report to any third party or for the taking of corrective, remedial and mitigative action, shall be solely that of the **CLIENT**. The **CLIENT** agrees to hold Century West harmless from any and all liability, damage, loss, cost or expense, including attorneys' fees, in any way arising from the claim of any third party. Century West agrees not to make, except to the **CLIENT** or at the **CLIENT**'s request, any report to any third party not legally required of it.

In the professional judgment of Century West, the services performed pursuant to the Scope of Services are an adequate basis to collect data for a preliminary evaluation of the site and upon which to draw the conclusions stated in Section 5.0 of this Report of Findings.

8.0 REFERENCES

MAPS

USGS Salem West, Oregon 7.5 minute quadrangle map (1969).
Sanborn Maps, 1978, 1950, 1926, 1895, 1890, 1888, 1884.
Plot Map, Marion County Assessor's Office, January 3, 1997.

AERIAL PHOTOGRAPHS

University of Oregon Library, Eugene, Oregon, October 1996.
US Army Corps of Engineers, Portland, Oregon, October 1996.

REGULATORY AGENCIES

Oregon State Fire Marshal, November 22 and January 1996.
Oregon Department of Environmental Quality, October 29 and November 13, 1996.

INFORMATION SOURCES

Marion County Planning and Zoning Files, June 24, 1996.

VISTA Information Services, Inc., Site Assessment Report 116400-001, October 3, 1996.


Salem Public Library, Salem City Directories, 1930-31, 1945, 1955, 1960, 1964
Salem Public Library, Historical Photograph Archive
City of Salem, Transportation Department
City of Salem, Permit Center
City of Salem, Fire Marshals Office

Phase I Environmental Site Assessment, Liu Property, 551 Court Street NE, Salem, Oregon 97301, Century West Engineering, November 21, 1996.

Phase I Environmental Site Assessment, Goldberg Property, 545 Court Street NE, Salem, Oregon 97301, Century West Engineering, October 18, 1996.

Phase I Environmental Site Assessment, Goodman Property, 525 Court Street NE, Salem, Oregon 97301, Century West Engineering, January 6, 1997.

Level I Environmental Site Assessment, Undeveloped Property located at 595 Court Street Northeast, Salem, Oregon, Bergeson-Boese & Associates, Inc., March 7, 1994.



USGS SALEM WEST 7.5 MINUTE QUADRANGLE

DESIGNED BY: WR	CHECKED BY:
DRAWN BY: DAK	SCALE: AS SHOWN
FILE: 40806001\01\4006	


VICINITY MAP

SALEM, OREGON




DATE:
11/96
FIGURE:
1

HIGH STREET



STORAGE TANK LOCATIONS ARE APPROXIMATE; CONDITIONS ON THE BLOCK ARE NECESSARILY SHOWN. SCALE



SITE PLAN	FIGURE 2
-----------	--------------------

APPENDIX A

VISTA REPORT

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)


PROPERTY INFORMATION	CLIENT INFORMATION
Project Name/Ref #: 4080600101T4002 GOLDBURG 454/457 COURT ST NE SALEM, OR 97301 Cross Street: COURT/HIGH/CHURCH Latitude/Longitude: (44.941333, 123.034363)	KATHLEEN CENTURY WEST ENG 1593 CLAY ST NE SALEM, OR 97232

Site Distribution Summary	<i>within 3/8 mile</i>	<i>3/8 to 1/2 mile</i>	<i>1/2 to 3/4 mile</i>	<i>3/4 to 1 1/4 miles</i>
Agency / Database - Type of Records				
A) Databases searched to 1 1/4 miles:				
US EPA NPL National Priority List	0	0	0	0
US EPA TSD RCRA permitted treatment, storage, disposal facilities	0	0	0	0
STATE SCL State equivalent CERCLIS list	6	0	1	11
B) Databases searched to 3/4 mile:				
US EPA CERCLIS Sites under review by US EPA	2	0	0	-
STATE LUST Leaking Underground Storage Tanks	36	17	35	-
STATE SWLF Permitted as solid waste landfills, incinerators, or transfer stations	0	0	0	-
C) Databases searched to 1/2 mile:				
STATE UST Registered underground storage tanks	24	12	-	-
D) Databases searched to 3/8 mile:				
US EPA ERNS Emergency Response Notification System of spills	0	-	-	-
US EPA LG GEN RCRA registered large generators of hazardous waste	1	-	-	-
US EPA SM GEN RCRA registered small generators of hazardous waste	14	-	-	-

This geographic database search meets the American Society for Testing Materials (ASTM) standards for a government records review. A (-) indicates the search distance exceeds ASTM search parameters.

LIMITATION OF LIABILITY

Customer proceeds at its own risk in choosing to rely on VISTA services, in whole or in part, prior to proceeding with any transaction. VISTA cannot be an insurer of the accuracy of the information, errors occurring in conversion of data, or for customer's use of data. VISTA and its affiliated companies, officers, agents, employees and independent contractors cannot be held liable for accuracy, storage, delivery, loss or expense suffered by customer resulting directly or indirectly from any information provided by VISTA.




For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996


Version 2.4.1

Page #1



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Map of Sites within One and One-Quarter Miles




Subject Site	Category:	A	B	C	D
★	Databases Searched to:	1 1/4 mi.	3/4 mi.	1/2 mi.	3/8 mi.
	Single Sites	◆	■	▲	●
	Multiple Sites	◆◆	■■	▲▲	●●
		NPL, SPL, SCL, TSD	CERCLIS, LUST, SWLF	UST	ERNS, GENERATORS
Roads Highways Railroads Rivers or Water Bodies Utilities	<p>If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.</p>				

For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403

Report ID: 116400-001


Date of Report: October 3, 1996

Page #2




SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Map of Sites within Half Mile




Subject Site 	Category: Databases Searched to:	A 1 1/4 mi. 	B 3/4 mi. 	C 1/2 mi. 	D 3/8 mi.
	Single Sites Multiple Sites	 	 	 	
 Roads Highways Railroads Rivers or Water Bodies Utilities	NPL, SPL, SCL, TSD	CERCLIS, LUST, SWLF	UST	ERNS, GENERATORS	

If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.




SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Street Map



Subject Site




Roads, Highways, Rivers, Water Bodies

Railroads, Utilities

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

SITE INVENTORY

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION ADJACENT	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
1A	MARION COUNTY (CHURCH STREET) 255 CHURCH STREET, N.E. SALEM, OR 97301					X						1892964 0.00 MI ADJACENT
1A	STATESMAN JOURNAL 280 CHURCH ST NE SALEM, OR 97301			X	X		X			X		398066 0.00 MI ADJACENT
1B	CHEVRON 1008 CHURCH AND COURT SALEM, OR				X							1891699 <0.01 MI SE
2A	AMERICAN HOME SAVINGS FSB 580 STATE ST SALEM, OR 97301						X					733509 0.07 MI S
2A	PACIFIC FIRST BANK 580 STATE ST. SALEM, OR 97301				X							2896124 0.07 MI S
2B	MARION COUNTY 100 HIGH STREET SALEM, OR 97301				X		X					733551 0.09 MI SW
2B	WILLAMETTE UNIVERSITY - GATKE HALL 100 HIGH STREET SALEM, OR 97301				X							1893804 0.09 MI SW
3	SALEM CENTRE SOUTH LIBERTY CHEMEKETA SALEM, OR				X							1892956 0.08 MI NW
3	GEORGE HEIDGERKEN PROPERTY 285 LIBERTY STREET NE SALEM, OR 97301				X							5394312 0.08 MI W
4	CENTER ST CARDLOCK 680 CENTER ST NE SALEM, OR 97301						X					3663249 0.09 MI E
5	DOWNTOWN CLEANERS 395 LIBERTY ST NE SALEM, OR 97301									X		5684427 0.10 MI NW
5	KITS CAMERAS INC CO30 401 CENTER ST NE STE 283 SALEM, OR 97301									X		4880942 0.11 MI NW
5	EXPRESSLY PORTRAITS INC 45 401 CENTER ST NE SALEM, OR 97301									X		2894762 0.11 MI NW
6A	DELYNNS CLEANERS 198 CHURCH ST SE SALEM, OR 97301									X		3205457 0.13 MI S



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #5

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN	
6A	COOK, DELYNN D 198 CHURCH ST SE SALEM, OR 97301							X			733526 0.14 MI S
6A	MONTERY APARTMENTS 633 FERRY ST SE SALEM, OR 97301					X					2895113 0.14 MI S
6A	BARRICK'S FUNERAL HOME 205 CHURCH SE SALEM, OR 97301					X					1892963 0.15 MI S
6B	PARK PLACE OFFICE BUILDING 250 CHURCH ST SE SALEM, OR 97301					X					3957580 0.17 MI S
7A	PAYLESS 1020 435 LIBERTY ST NE SALEM, OR 97301									X	5516127 0.14 MI NW
7B	UNOCAL 4498 405 MARION SALEM, OR 97301							X			733599 0.17 MI N
7B	UNOCAL STATION #4498 405 MARION SALEM, OR 97301					X					1894323 0.17 MI N
7B	FIRST BAPTIST CHURCH 395 MARION ST NE SALEM, OR 97301					X					3663411 0.19 MI N
8	USWCOM SALEM CO TOLL EXCHANGE 740 STATE ST SALEM, OR 97301									X	3725704 0.15 MI SE
9	SALEM LANDFILL FORMERLY LISTED AS 433 FERRY ST (COU SALEM, OR 97301			X							1893699 0.16 MI SW
9	SALEM, CITY OF 400 FERRY STREET SALEM, OR 97301					X					1893697 0.17 MI SW
9	SALEM, CY OF, LDFL 433 FERRY ST-T7S,R3W,SEC 3132 SALEM, OR 97301				X						365662 0.17 MI SW
10A	FIRESTONE #66F3 295 COMMERCIAL AVE NE SALEM, OR 97301							X			733532 0.16 MI W
10B	UNION GOSPEL MISSION 345 COMMERCIAL STREET NE SALEM, OR 97301					X					5324153 0.17 MI NW
11	SALEM TIRE CENTER 510 HIGH ST NE SALEM, OR 97301							X			733585 0.16 MI N
12	ROBERSON MOTORS-GASOLINE CENTER AND COMMERCIAL SALEM, OR					X					1893039 0.18 MI NW
12	ROBERSON MOTORS CENTER COMMERCIAL SALEM, OR 97301					X					1893040 0.18 MI NW



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #6

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
12	ROBERSON MOTORS SITE (OLD) 435 COMMERCIAL ST NE SALEM, OR 97301			X		X						1893043 0.18 MI NW
13	NICHOLS APTS II 570 UNION ST NE SALEM, OR 97301					X						4306775 0.22 MI NE
13	NICHOLS APTS I 590 UNION ST NE SALEM, OR 97301					X						4306776 0.22 MI NE
14A	MARION CAR RENTAL CO 195 COMMERCIAL ST SE SALEM, OR 97301					X	X			X		733550 0.22 MI W
14B	SALEM FIRE DEPARTMENT 370 TRADE STREET SALEM, OR 97301					X						2757731 0.24 MI SW
14C	BOISE CASCADE - MINTO ISLAND 315 COMMERCIAL ST SE SALEM, OR 97301			X								53021 0.28 MI SW
15A	CITY OF SALEM (HIGH STREET) INTERSECTION OF UNION AND HIGH STREE SALEM, OR 97305					X						3279105 0.23 MI N
15A	CAPITOL CAR WASH 608 HIGH STREET NE SALEM, OR 97301					X	X					733701 0.24 MI N
15A	BANK OF SALEM 615 HIGH ST N SALEM, OR 97301						X					3663331 0.25 MI N
15A	TAGGESELL PROPERTY 615 HIGH ST SALEM, OR 97301					X						3663332 0.25 MI N
15B	TRACHSEL BUICK-GMC TRUCKS BODY SHOP 685 HIGH ST NE SALEM, OR 97301									X		2895196 0.29 MI N
16A	SALEM CITY OF RIVERFRONT PARK PROJEC FRONT ST W BTWN CENTER COURT SALEM, OR 97301									X		5683707 0.24 MI W
16B	SALEM GAS MANUFACTURING SITE CHEMEKETA WATER STREETS SALEM, OR 97301				X							365679 0.30 MI W
17A	OREGON STATE CAPITOL 900 COURT ST SALEM, OR 97310									X		312261 0.25 MI E
17B	OREGON STATE POLICE 240 E SUMMER ST. NE SALEM, OR 97310					X	X					2757614 0.28 MI E
18	WILLAMETTE UNIVERSITY CHEMISTRY DEPT 900 STATE ST SALEM, OR 97301					X	X			X		470069 0.25 MI SE



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #7

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
19	HAYDEN SAAB SERVICE 390 FRONT STREET, NE SALEM, OR 97301					X						2895091 0.25 MI NW
19	HAYDEN AUTOMOTIVE FRONT CENTER ST NE SALEM, OR 97303							X				1893063 0.26 MI NW
20	FRANCES APTS 555 WINTER ST NE SALEM, OR 97301					X						4306815 0.26 MI NE
21	US WEST II 745 MILL ST SE SALEM, OR 97301					X						5684482 0.28 MI S
21	USWEST - MILL ST SOC - 010470 745 MILL ST SE SALEM, OR 97301							X				4963230 0.28 MI S
22A	EOFF ELECTRIC CO. 320 UNION, NE SALEM, OR 97301					X		X				733861 0.29 MI N
22B	DELON AUTO CENTER 686 COMMERCIAL ST NE SALEM, OR 97301							X				4962782 0.35 MI N
23	TRACHSEL BUICK GMC TRUCKS 660 LIBERTY ST NE SALEM, OR 97301							X		X		12020 0.30 MI N
23	OLD DELON MITSUBISHI 660 LIBERTY ST NE SALEM, OR 97301			X		X						1894009 0.30 MI N
23	MC KINNEY LINCOLN MERCURY INC 695 LIBERTY ST NE SALEM, OR 97301									X		265096 0.32 MI N
24	OREGON ASSOC. OF REALTOR 694 CHURCH STREET, NE SALEM, OR 97301					X						4306354 0.30 MI NE
25A	PRINGLE CREEK TOWER 370 CHURCH ST SE SALEM, OR 97301							X				2894686 0.30 MI S
25B	SALEM SURGERY CENTER 700 BELLEVUE STREET SE SALEM, OR 97301					X		X				733584 0.35 MI S
26	WATER ST MAINTENANCE CENTER - 010524 220 WATER ST NE SALEM, OR 97301							X				733602 0.32 MI W
27A	REVENUE BLDG 955 CENTER ST SE SALEM, OR 97310							X				3957597 0.32 MI E
28A	B B PROPERTIES 210 CAPITOL ST NE SALEM, OR 97301			X						X		1893093 0.33 MI E
28A	OLE'S AUTO SERVICE/BELLINGER TIRE 210 CAPTOL NE SALEM, OR 97301					X		X				733515 0.34 MI E



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001


Date of Report: October 3, 1996

Version 2.4.1

Page #8

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN	
28A	UNION 4332 II 210 CAPITOL ST SALEM, OR 97301					X					2894785 0.34 MI E
29A	MONTAG OF SALEM INC 101 UNION ST NE SALEM, OR 97301							X			733563 0.36 MI NW

MAP ID	SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN	
27B	MCDONALD'S 1110 CENTER STREET, N.E. SALEM, OR 97301					X					1893066 0.40 MI E
28B	LCDC BUILDING 1175 COURT STREET NE SALEM, OR 97310					X					2756754 0.40 MI E
29B	STEVENS EQUIPMENT COMPANY 110 DIVISION ST NE SALEM, OR 97301					X		X		•	399806 0.44 MI NW
30	DELON AUTO CENTER 745 LIBERTY ST NE SALEM, OR 97301					X					5188123 0.38 MI N
30	DELON OLDS VOLVO HONDA 745 LIBERTY ST NE SALEM, OR 97301							X			1894010 0.38 MI N
30	SALEM COMMERCIAL OFFICE 780 LIBERTY ST NE SALEM, OR 97301							X			733581 0.39 MI N
31A	1100 CHEMEKETA STREET 1100 CHEMEKETA STREET SALEM, OR 97301					X					2756667 0.38 MI E
31B	BELLINGER INVESTMENTS 315 12TH ST NE SALEM, OR 97301							X			4057013 0.42 MI E
32	OR STATE GSA STATE WAVERLY ST SALEM, OR 97301							X			733571 0.39 MI SE
33A	SEARS, ROEBUCK COMPANY, AUTO CENTE 550 CAPITOL STREET NE SALEM, OR 97310					X		X			372859 0.41 MI E
33B	NE CORNER OF PARKING LOT UNION ST NE CAPITOL ST NE SALEM, OR 97301							X			733565 0.42 MI E
33B	BLUE PARKING LOT UNION ST CAPITOL ST SALEM, OR 97310							X			733868 0.42 MI E
33C	OREGON STATE AGRICULTURAL BLDG AHOT 635 CAPITAL ST NE SALEM, OR 97310					X					312259 0.44 MI E



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001


Date of Report: October 3, 1996

Version 2.4.1

Page #9

MAP ID	SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
34	WINDOWS TO THE WEST 533 COMMERCIAL STREET, SE SALEM, OR 97301					X						3663245 0.43 MI SW
35	HOTEL-JOHNSON RAY REALTY 870 LIBERTY ST SALEM, OR 97301					X						3663368 0.45 MI N
35	WINSTON MANAGEMENT 889 LIBERTY ROAD, N.E. SALEM, OR 97301					X		X				733604 0.48 MI N
36	DAWNA DAVIES 881 COTTAGE ST NE SALEM, OR 97301					X						4306397 0.46 MI NE
37	MUSGROVE RESIDENCE 610 LIBERTY STREET SE SALEM, OR 97301					X						5394313 0.46 MI SW
38	ROBERTSON BUILDING 1215 STATE STREET NE SALEM, OR 97303					X						5394410 0.47 MI SE
38	STATE STREET OFFICE 1243 STATE STREET SALEM, OR 97301					X						5394411 0.48 MI SE
38	VIKINGS FOUR RESTAURANT 1275 STATE STREET SALEM, OR 97301					X		X				2757653 0.50 MI SE
39A	GSA REAL PROPERTY DIVISION 1225 FERRY ST. S.E. SALEM, OR 97310					X		X				733869 0.49 MI SE
39A	OREGON GENERAL SERVICES 1225 FERRY STREET SALEM, OR 97310					X						1893701 0.49 MI SE
40	EVERGREEN STAGE LINES 854 FRONT ST SALEM, OR 97301							X				3957663 0.49 MI N

MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
39	OREGON GENERAL SERVICES 1240 FERRY STREET SALEM, OR 97310					X						2756932 0.50 MI SE
41	STEUSEOFFE PROPERTY 245 13TH, N.E. SALEM, OR 97301					X						2756271 0.50 MI E
41	WILLAMETTE UNIVERSITY 1 1391 COURT STREET NE SALEM, OR 97301					X						5810609 0.56 MI E
42	SALEM HOSPITAL 665 WINTER ST SE SALEM, OR 97301					X					•	365696 0.51 MI S



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #10

MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
43	OREGON GENERAL SERVICES - SUMMER 835 SUMMER, N.E. SALEM, OR 97301					X						1895204 0.52 MI NE
43	COREY PROPERTY 885 D STREET NE SALEM, OR 97301					X						5054418 0.54 MI NE
44	OGSA/ARCHIVES BUILDING CAPITOL PARISH STREETS SALEM, OR 97301					X						1894756 0.56 MI NE
45	JIM LINDA WEBB RESIDENCE 575 MISSION STREET SE SALEM, OR 97302					X						5684558 0.56 MI SW
46	WES GLADOW 1085 BROADWAY NE SALEM, OR 97301					X	•					5188023 0.58 MI N
47	JOHNSON HOME 1043 WINTER STREET NE SALEM, OR 97301					X						5540549 0.60 MI NE
48	MISSION MILL VILLAGE 1313 MILL STREET, SE SALEM, OR 97301					X						3663381 0.61 MI SE
48	TOKYO INTERNATIONAL UNIVERSITY 1300 MILL STREET, S.E. SALEM, OR 97301					X						1894174 0.61 MI SE
49	4-PLEX RENTAL 1410 FERRY STREET SALEM, OR 97301					X						5188082 0.62 MI SE
49	GOLDSMITH, KEN SMITH, CLINTON HOT 280 15TH STREET SE SALEM, OR 97301					X						6472136 0.69 MI SE
50	ARCO PRODUCTS CO 4186 805 COMMERCIAL ST SE SALEM, OR 97302					X	•		•			733608 0.63 MI SW
50	KWAN'S RESTAURANT 835 COMMERCIAL SOUTH SALEM, OR 97302					X						4557837 0.65 MI SW
51	COMMERCIAL BUSINESS SUPPLY 1115 COMMERCIAL, N.E. SALEM, OR 97310					X						1893045 0.65 MI N
52	TEMPLE RESIDENCE H.O.T. 875 BELMONT STREET NE SALEM, OR 97301					X						6472208 0.66 MI NE
52	C.W. PALMATEER 1110 SUMMER STREET NE SALEM, OR 97301					X						4557957 0.68 MI NE
52	NEWHARTH RESIDENCE 975 BELMONT STREET, NE SALEM, OR 97301					X						5054380 0.69 MI NE
52	JUDY DUPELL 1170 SUMMER ST NE SALEM, OR 97301					X						4306722 0.70 MI NE



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #11

MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)	A			B			C	D		VISTA ID DISTANCE DIRECTION
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN	
53	WELL WALLACE ROAD R.R. SALEM, OR					X					1894806 0.67 MI W
53	WELL-MUNICIPAL CITY SALEM WALLACE RD. AND RAILROAD SALEM, OR 97300					X					1894828 0.67 MI W
54	PCB SPILL - MILL ST 1440 MILL ST SE SALEM, OR 97301			X							1894175 0.68 MI SE
55	KONDITOREI 310 KEARNEY STREET SE SALEM, OR 97302					X	•				5324208 0.68 MI SW
55	A TO Z RENTAL CENTER 995 COMERCIAL ST. SE SALEM, OR 97302					X	•				733605 0.74 MI SW
56	DILLION, ALBERT-HOT 1510 STATE STREET SALEM, OR 97301					X					6472442 0.68 MI E
57	GRANT ELEMENTARY SCHOOL 745 NE MARKET ST SALEM, OR 97301					X					4057105 0.69 MI NE
57	SALVATION ARMY 1230 WINTER ST. SALEM, OR 97303					X					1895921 0.71 MI NE
58	RAWLINSON'S CAPITAL CITY LAUNDRY 1264 BROADWAY NE SALEM, OR 97303					X	•				733766 0.70 MI N
58	RAWLINSON'S LAUNDRY 1264 BROADWAY SALEM, OR 97303					X					347491 0.70 MI N
58	AYNBEE MOTORS 1320 BROADWAY SALEM, OR 97303					X	•				733691 0.74 MI NE
59	BATTIN, C HOT 1270 CHURCH ST NE SALEM, OR 97303					X					5324138 0.70 MI NE
60	OTTO PROPERTY 570 14TH SE SALEM, OR 97301					X					1892336 0.72 MI SE
61	FIREHOUSE 5 CAR WASH 1212 MISSION ST. S.E. SALEM, OR 97302					X	•				733623 0.75 MI SE
61	S. PACIFIC TRANSPORT. CO. 500 13TH STREET SE SALEM, OR 97301					X					5540051 0.75 MI SE



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #12

MAP ID	SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles)	A			B			C	D		VISTA ID DISTANCE DIRECTION	
		NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN		SM GEN
62	OREGON FRUIT PRODUCTS 150 PATTERSON ST NW SALEM, OR 97304			X		•		•				733809 0.86 MI W
62	AGRIPAC INC. 325 PATTERSON ST NW SALEM, OR 97304			X								8304 0.92 MI W
63	JC JONES OIL CO. 650 15TH ST SE SALEM, OR 97301			X				•			•	215699 0.88 MI SE
64	CIRCUIT WORLD INC. 585 9TH ST NW SALEM, OR 97304			X								1892689 0.91 MI NW
65	MAIN AUTO BODY 1610 COMMERCIAL ST NE SALEM, OR 97303			X		•					•	4962784 0.94 MI N
65	NORRIS PAINT VARNISH INC 1675 COMMERCIAL ST NE SALEM, OR 97303			X				•				299174 0.97 MI N
66	GNB BATTERY 576 PATTERSON ST NW SALEM, OR 97304			X							•	173654 1.01 MI W
67	ALLIED AUTO SUPPLY 1295 12TH ST SE SALEM, OR 97302			X				•			•	733607 1.09 MI S
68	RELIANCE UNIVERSAL, INC 1660 CROSS ST. SE SALEM, OR 97302			X	•							351012 1.14 MI SE
69	HYGENICS OF OREGON 1335 MADISON ST NE SALEM, OR 97303			X							•	204285 1.19 MI NE
70	OREGON GLOVE CO. 1490 12TH ST SE SALEM, OR 97302			X								1892312 1.22 MI S



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #13

UNMAPPED SITES	A			B			C		D		VISTA ID
	NPL	TSD	SCL	CERCLIS	LUST	SWLF	UST	ERNS	LG GEN	SM GEN	
No Records Found											



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #14

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

DETAILS


PROPERTY AND THE ADJACENT AREA (within 3/8 mile)

VISTA Address*:	MARION COUNTY (CHURCH STREET) 255 CHURCH STREET, N.E. SALEM, OR 97301	VISTA ID#:	1892964
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4194
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		
VISTA Address*:	STATESMAN JOURNAL 280 CHURCH ST NE SALEM, OR 97301	VISTA ID#:	398066
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	725
Agency Address:	STATESMAN JOURNAL 280 CHURCH ST NE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD039105333
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

Map ID

1A

Map ID

1A

* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996


Version 2.4.1

Page #15

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-88-4035
Agency Address:	STATESMAN-JOURNAL CO., INC. 280 CHURCH ST., N.E. SALEM, OR 97301		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	7140
Agency Address:	STATESMAN-JOURNAL CO INC 280 CHURCH ST NE SALEM, OR 97301		
Underground Tanks:	4		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	3000 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	3000 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	3500 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	200 (GALLONS)	Tank Material:	STEEL
VISTA Address*:	CHEVRON 1008 CHURCH AND COURT SALEM, OR	VISTA ID#:	1891699
		Distance/Direction:	<0.01 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4028
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
1B



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	AMERICAN HOME SAVINGS FSB 580 STATE ST SALEM, OR 97301	VISTA ID#:	733509
		Distance/Direction:	0.07 MI / S
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	5710
Agency Address:		SAME AS ABOVE	
Underground Tanks:		4	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	550 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	550 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	15	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL
Tank ID:	5U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	15	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL

Map ID

2A

VISTA Address*:	PACIFIC FIRST BANK 580 STATE ST. SALEM, OR 97301	VISTA ID#:	2896124
		Distance/Direction:	0.07 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4359
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

2A

VISTA Address*:	MARION COUNTY 100 HIGH STREET SALEM, OR 97301	VISTA ID#:	733551
		Distance/Direction:	0.09 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4200
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

2B



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #17

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	4637
Agency Address:		MARION COUNTY 100 HIGH ST NE SALEM, OR 97301	
Underground Tanks:		1	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	44	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	8000 (GALLONS)	Tank Material:	UNKNOWN

VISTA Address*:	WILLAMETTE UNIVERSITY - GATKE HALL 100 HIGH STREET SALEM, OR 97301	VISTA ID#:	1893804
		Distance/Direction:	0.09 MI / SW
		Plotted as:	Point


Map ID
2B

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4201
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	SALEM CENTRE SOUTH LIBERTY CHEMEKETA SALEM, OR	VISTA ID#:	1892956
		Distance/Direction:	0.08 MI / NW
		Plotted as:	Point

Map ID
3

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4085
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #18

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	GEORGE HEIDGERKEN PROPERTY 285 LIBERTY STREET NE SALEM, OR 97301	VISTA ID#:	5394312
		Distance/Direction:	0.08 MI / W
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4055
Agency Address:	GEORGE HEIDGERKEN PROPERTY 285 LIBERTY STREET NE SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		


Map ID
3

VISTA Address*:	CENTER ST CARDLOCK 680 CENTER ST NE SALEM, OR 97301	VISTA ID#:	3663249
		Distance/Direction:	0.09 MI / E
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	1789
Agency Address:	SAME AS ABOVE		
Underground Tanks:	4		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	13	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	8000 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	23	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	8000 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	31	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	31	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL

Map ID
4

VISTA Address*:	DOWNTOWN CLEANERS 395 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	5684427
		Distance/Direction:	0.10 MI / NW
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD987187556
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

Map ID
5



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	KITS CAMERAS INC CO30 401 CENTER ST NE STE 283 SALEM, OR 97301	VISTA ID#:	4880942
		Distance/Direction:	0.11 MI / NW
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	OR0000142059
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE 100 KG./MONTH BUT LESS THAN 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE		

Map ID
5

VISTA Address*:	EXPRESSLY PORTRAITS INC 45 401 CENTER ST NE SALEM, OR 97301	VISTA ID#:	2894762
		Distance/Direction:	0.11 MI / NW
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD987190279
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

Map ID
5

VISTA Address*:	DELYNNS CLEANERS 198 CHURCH ST SE SALEM, OR 97301	VISTA ID#:	3205457
		Distance/Direction:	0.13 MI / S
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD987196888
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		


Map ID
6A

VISTA Address*:	COOK, DELYNN D 198 CHURCH ST SE SALEM, OR 97301	VISTA ID#:	733526
		Distance/Direction:	0.14 MI / S
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	2503
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	25	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL

Map ID
6A

VISTA Address*:	MONTERY APARTMENTS 633 FERRY ST SE SALEM, OR 97301	VISTA ID#:	2895113
		Distance/Direction:	0.14 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4371
Agency Address:	MONTERY APARTMENTS 633 FERRY ST SE SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
6A



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #20

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*: 3028	BARRICK'S FUNERAL HOME 205 CHURCH SE SALEM, OR 97301	VISTA ID#:	1892963
		Distance/Direction:	0.15 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC#		Agency ID:	24-90-4323
Agency Address:		BARRICK'S FUNERAL HOME 205 CHURCH SE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
6A

VISTA Address*: 3028	PARK PLACE OFFICE BUILDING 250 CHURCH ST SE SALEM, OR 97301	VISTA ID#:	3957580
		Distance/Direction:	0.17 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC#		Agency ID:	24-93-4015
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID
6B

VISTA Address*: 3057	PAYLESS 1020 435 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	5516127
		Distance/Direction:	0.14 MI / NW
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC#		EPA ID:	OR0001020973
Agency Address:		SAME AS ABOVE	
Generator Class:		GENERATORS WHO GENERATE 100 KG./MONTH BUT LESS THAN 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE	

Map ID
7A

VISTA Address*: 3117	UNOCAL 4498 405 MARION SALEM, OR 97301	VISTA ID#:	733599
		Distance/Direction:	0.17 MI / N
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC#		Agency ID:	991
Agency Address:		SAME AS ABOVE	
Underground Tanks:		3	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	AU	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	12	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	12000 (GALLONS)	Tank Material:	FIBERGLASS

Map ID
7B



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #21

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	BU	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	12	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	12000 (GALLONS)	Tank Material:	FIBERGLASS
Tank ID:	W/OU	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	33	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	280 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	UNOCAL STATION #4498 405 MARION SALEM, OR 97301	VISTA ID#:	1894323
		Distance/Direction:	0.17 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC#		Agency ID:	24-84-4001
3028			
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		


Map ID
7B

VISTA Address*:	FIRST BAPTIST CHURCH 395 MARION ST NE SALEM, OR 97301	VISTA ID#:	3663411
		Distance/Direction:	0.19 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC#		Agency ID:	24-92-4165
3028			
Agency Address:	FIRST BAPTIST CHURCH 395 MARION ST NE SALEM, OR 97303		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
7B

VISTA Address*:	USWCOM SALEM CO TOLL EXCHANGE 740 STATE ST SALEM, OR 97301	VISTA ID#:	3725704
		Distance/Direction:	0.15 MI / SE
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC#		EPA ID:	ORT420011538
3057			
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

Map ID
8



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #22

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	SALEM LANDFILL FORMERLY LISTED AS 433 FERRY ST (COU SALEM, OR 97301	VISTA ID#:	1893699
		Distance/Direction:	0.16 MI / SW
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	866
Agency Address:	SALEM LANDFILL FORMERLY LISTED AS 433 FERRY ST (COU SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		


Map ID
9

VISTA Address*:	SALEM, CITY OF 400 FERRY STREET SALEM, OR 97301	VISTA ID#:	1893697
		Distance/Direction:	0.17 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4064
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
9

VISTA Address*:	SALEM, CY OF, LDFL 433 FERRY ST-T7S,R3W,SEC 3132 SALEM, OR 97301	VISTA ID#:	365662	
		Distance/Direction:	0.17 MI / SW	
		Plotted as:	Point	
CERCLIS / SRC# 2976		EPA ID:	ORD980722136	
Agency Address:	SAME AS ABOVE			
NPL Status:	NOT A PROPOSED, CURRENT, OR DELETED NPL SITE			
Site Ownership:	OTHER			
Lead Agency:	NOT AVAILABLE			
Site Description:	NOT REPORTED			
Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
DISCOVERY	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	FEBRUARY 1, 1980
PRELIMINARY ASSESSMENT	EPA FUND-FINANCED	HIGHER PRIORITY	AUGUST 1, 1984	AUGUST 1, 1984
SCREENING SITE INSPECTION	EPA FUND-FINANCED	HIGHER PRIORITY	FEBRUARY 19, 1985	APRIL 16, 1985

Map ID
9



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #23

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	FIRESTONE #66F3 295 COMMERCIAL AVE NE SALEM, OR 97301	VISTA ID#:	733532
		Distance/Direction:	0.16 MI / W
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	8073
Agency Address:		SAME AS ABOVE	
Underground Tanks:		1	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	17	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	550 (GALLONS)	Tank Material:	STEEL


Map ID
10A

VISTA Address*:	UNION GOSPEL MISSION 345 COMMERCIAL STREET NE SALEM, OR 97301	VISTA ID#:	5324153
		Distance/Direction:	0.17 MI / NW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4165
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
10B

VISTA Address*:	SALEM TIRE CENTER 510 HIGH ST NE SALEM, OR 97301	VISTA ID#:	733585
		Distance/Direction:	0.16 MI / N
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	8509
Agency Address:		SAME AS ABOVE	
Underground Tanks:		1	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL

Map ID
11



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #24

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	ROBERSON MOTORS-GASOLINE CENTER AND COMMERCIAL SALEM, OR	VISTA ID#:	1893039
		Distance/Direction:	0.18 MI / NW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4112
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID
12

VISTA Address*:	ROBERSON MOTORS CENTER COMMERCIAL SALEM, OR 97301	VISTA ID#:	1893040
		Distance/Direction:	0.18 MI / NW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4330
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
12

VISTA Address*:	ROBERSON MOTORS SITE (OLD) 435 COMMERCIAL ST NE SALEM, OR 97301	VISTA ID#:	1893043
		Distance/Direction:	0.18 MI / NW
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	1622
Agency Address:		ROBERSON MOTORS SITE (OLD) 435 COMMERCIAL ST NE SALEM, OR	
Facility Type:		NOT AVAILABLE	
Lead Agency:		NOT AVAILABLE	
State Status:		NOT AVAILABLE	
Pollutant 1:		UNKNOWN	
Pollutant 2:		UNKNOWN	
Pollutant 3:		UNKNOWN	
Fields Not Reported:		Status	

Map ID
12



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-90-4224
Agency Address:	ROBERSON BUILDING (ODOT) 435 COMMERCIAL, N.E. SALEM, OR 97301	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	NICHOLS APTS II 570 UNION ST NE SALEM, OR 97301	VISTA ID#:	4306775	Map ID 13
		Distance/Direction:	0.22 MI / NE	
		Plotted as:	Point	


STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-93-5120
Agency Address:	NICHOLS APTS II 570 UNION ST NE SALEM, OR	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	NICHOLS APTS I 590 UNION ST NE SALEM, OR 97301	VISTA ID#:	4306776	Map ID 13
		Distance/Direction:	0.22 MI / NE	
		Plotted as:	Point	

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-93-5119
Agency Address:	NICHOLS APTS I 590 UNION ST NE SALEM, OR	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	MARION CAR RENTAL CO 195 COMMERCIAL ST SE SALEM, OR 97301	VISTA ID#:	733550	Map ID 14A
		Distance/Direction:	0.22 MI / W	
		Plotted as:	Point	

RCRA-SmGen - RCRA-Small Generator / SRC# 3057	EPA ID:	ORD987187358
Agency Address:	SAME AS ABOVE	
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #26

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.


STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-90-4276
Agency Address:	MARION CAR RENTAL CO./MARION AUTO SE 195 COMMERCIAL ST. S.E. SALEM, OR 97301	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	2385
Agency Address:	MARION CAR RENTAL CO./MARION AUTO SER 195 COMMERCIAL ST SE SALEM, OR 97301	
Underground Tanks:	4	
Aboveground Tanks:	NOT REPORTED	
Tanks Removed:	NOT REPORTED	
Tank ID:	1U	Tank Status: ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring: NOT AVAILABLE
Tank Age:	23	Tank Piping: NOT AVAILABLE
Tank Size (Units):	8000 (GALLONS)	Tank Material: STEEL
Tank ID:	2U	Tank Status: ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring: NOT AVAILABLE
Tank Age:	23	Tank Piping: NOT AVAILABLE
Tank Size (Units):	8000 (GALLONS)	Tank Material: STEEL
Tank ID:	3U	Tank Status: ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring: NOT AVAILABLE
Tank Age:	34	Tank Piping: NOT AVAILABLE
Tank Size (Units):	2000 (GALLONS)	Tank Material: STEEL
Tank ID:	4U	Tank Status: CLOSED
Tank Contents:	USED OIL	Leak Monitoring: NOT AVAILABLE
Tank Age:	34	Tank Piping: NOT AVAILABLE
Tank Size (Units):	400 (GALLONS)	Tank Material: STEEL

VISTA Address*:	SALEM FIRE DEPARTMENT 370 TRADE STREET SALEM, OR 97301	VISTA ID#:	2757731
		Distance/Direction:	0.24 MI / SW
		Plotted as:	Point

Map ID
14B

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-91-4230
Agency Address:	SALEM FIRE DEPARTMENT 370 TRADE STREET SALEM, OR	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #27

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	BOISE CASCADE - MINTO ISLAND 315 COMMERCIAL ST SE SALEM, OR 97301	VISTA ID#:	53021
		Distance/Direction:	0.28 MI / SW
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	355
Agency Address:	BOISE CASCADE - MINTO ISLAND 315 COMMERCIAL ST SE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
14C


VISTA Address*:	CITY OF SALEM (HIGH STREET) INTERSECTION OF UNION AND HIGH STREE SALEM, OR 97305	VISTA ID#:	3279105
		Distance/Direction:	0.23 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4094
Agency Address:	CITY OF SALEM (HIGH STREET) INTERSECTION OF UNION AND HIGH STREE SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
15A

VISTA Address*:	CAPITOL CAR WASH 608 HIGH STREET NE SALEM, OR 97301	VISTA ID#:	733701
		Distance/Direction:	0.24 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4223
Agency Address:	CAPITOL CAR WASH 608 HIGH STREET NE SALEM, OR 97303		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
15A

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	8840
Agency Address:	CAPITOL CAR WASH 608 HIGH ST NE SALEM, OR 97303		
Underground Tanks:	2		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #28

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	38	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	UNKNOWN
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	38	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	UNKNOWN

VISTA Address*:	BANK OF SALEM 615 HIGH ST N SALEM, OR 97301	VISTA ID#:	3663331
		Distance/Direction:	0.25 MI / N
		Plotted as:	Point

Map ID
15A

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	11132	
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE, WATER	Leak Monitoring:	NOT AVAILABLE
Tank Age:	54	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	UNKNOWN

VISTA Address*:	TAGGESELL PROPERTY 615 HIGH ST SALEM, OR 97301	VISTA ID#:	3663332
		Distance/Direction:	0.25 MI / N
		Plotted as:	Point

Map ID
15A

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-92-4151
Agency Address:	SAME AS ABOVE	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	TRACHSEL BUICK-GMC TRUCKS BODY SHOP 685 HIGH ST NE SALEM, OR 97301	VISTA ID#:	2895196
		Distance/Direction:	0.29 MI / N
		Plotted as:	Point


Map ID
15B

RCRA-SmGen - RCRA-Small Generator / SRC# 3057	EPA ID:	ORD987173911
Agency Address:	SAME AS ABOVE	
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.	

VISTA Address*:	SALEM CITY OF RIVERFRONT PARK PROJEC FRONT ST W BTWN CENTER COURT SALEM, OR 97301	VISTA ID#:	5683707
		Distance/Direction:	0.24 MI / W
		Plotted as:	Point

Map ID
16A

RCRA-LgGen - RCRA-Large Generator / SRC# 3057	EPA ID:	ORR000001149
Agency Address:	SAME AS ABOVE	
Generator Class:	GENERATORS WHO GENERATE AT LEAST 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE OR 1 KG./MONTH OF ACUTELY HAZARDOUS WASTE.	



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	SALEM GAS MANUFACTURING SITE CHEMEKETA WATER STREETS SALEM, OR 97301	VISTA ID#:	365679
		Distance/Direction:	0.30 MI / W
		Plotted as:	Point
CERCLIS / SRC# 2977		EPA ID:	ORD981762875

Map ID
16B

Agency Address:	SAME AS ABOVE			
NPL Status:	NOT A PROPOSED, CURRENT, OR DELETED NPL SITE			
Site Ownership:	OTHER			
Lead Agency:	NO DETERMINATION			
Site Description:	NOT REPORTED			
Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
DISCOVERY	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	NOVEMBER 30, 1986
PRELIMINARY ASSESSMENT	EPA FUND-FINANCED	NO FURTHER REMEDIAL ACTION PLANNED	APRIL 29, 1987	JUNE 30, 1987

VISTA Address*:	OREGON STATE CAPITOL 900 COURT ST SALEM, OR 97310	VISTA ID#:	312261
		Distance/Direction:	0.25 MI / E
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD982820615

Map ID
17A


Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

VISTA Address*:	OREGON STATE POLICE 240 E SUMMER ST. NE SALEM, OR 97310	VISTA ID#:	2757614
		Distance/Direction:	0.28 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4253

Map ID
17B

Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	7755
Agency Address:	OR STATE POLICE 240 E SUMMER ST NE SALEM, OR 97310		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	20	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	WILLAMETTE UNIVERSITY CHEMISTRY DEPT 900 STATE ST SALEM, OR 97301	VISTA ID#:	470069
		Distance/Direction:	0.25 MI / SE
		Plotted as:	Point

Map ID
18

RCRA-SmGen - RCRA-Small Generator / SRC# 3057	EPA ID:	ORD055968481
Agency Address:	SAME AS ABOVE	
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.	

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-89-4204
Agency Address:	WILLAMETTE UNIVERSITY - YORK HALL 900 STATE STREET SALEM, OR 97301	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	3232
Agency Address:	WILLAMETTE UNIVERSITY 900 STATE ST SALEM, OR 97301	
Underground Tanks:	1	
Aboveground Tanks:	NOT REPORTED	
Tanks Removed:	NOT REPORTED	
Tank ID:	1U	Tank Status: ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring: NOT AVAILABLE
Tank Age:	18	Tank Piping: NOT AVAILABLE
Tank Size (Units):	2000 (GALLONS)	Tank Material: UNKNOWN

VISTA Address*:	HAYDEN SAAB SERVICE 390 FRONT STREET, NE SALEM, OR 97301	VISTA ID#:	2895091
		Distance/Direction:	0.25 MI / NW
		Plotted as:	Point


Map ID
19

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-91-4344
Agency Address:	SAME AS ABOVE	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	HAYDEN AUTOMOTIVE FRONT CENTER ST NE SALEM, OR 97303	VISTA ID#:	1893063
		Distance/Direction:	0.26 MI / NW
		Plotted as:	Point

Map ID
19

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	10388
Agency Address:	SAME AS ABOVE	
Underground Tanks:	2	
Aboveground Tanks:	NOT REPORTED	
Tanks Removed:	NOT REPORTED	



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	EMPTY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	EMPTY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL

VISTA Address*:	FRANCES APTS 555 WINTER ST NE SALEM, OR 97301	VISTA ID#:	4306815
		Distance/Direction:	0.26 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4137

Map ID
20

Agency Address:	FRANCES APTS 555 WINTER ST NE SALEM, OR
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	NOT AVAILABLE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source

VISTA Address*:	US WEST II 745 MILL ST SE SALEM, OR 97301	VISTA ID#:	5684482
		Distance/Direction:	0.28 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4143


Map ID
21

Agency Address:	SAME AS ABOVE
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	NOT AVAILABLE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source

VISTA Address*:	USWEST - MILL ST SOC - 010470 745 MILL ST SE SALEM, OR 97301	VISTA ID#:	4963230
		Distance/Direction:	0.28 MI / S
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	6233

Map ID
21

Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	33	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #32

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	EOFF ELECTRIC CO. 320 UNION, NE SALEM, OR 97301	VISTA ID#:	733861
		Distance/Direction:	0.29 MI / N
		Plotted as:	Point

Map ID
22A


STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-89-4173
--	------------	------------

Agency Address:	<i>EOFF ELECTRIC CO. 320 UNION, NE SALEM, OR 97308</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>NOT AVAILABLE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	10207
---	------------	-------

Agency Address:	<i>EOFF ELECTRIC 320 UNION NE SALEM, OR 97308</i>
Underground Tanks:	<i>7</i>
Aboveground Tanks:	<i>NOT REPORTED</i>
Tanks Removed:	<i>NOT REPORTED</i>

Tank ID:	<i>1U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>REPORTED AS "UNKNOWN" BY AGENCY</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>2U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>3U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>4U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>5U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>6U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>
Tank ID:	<i>7U</i>	Tank Status:	<i>CLOSED</i>
Tank Contents:	<i>USED OIL</i>	Leak Monitoring:	<i>NOT AVAILABLE</i>
Tank Age:	<i>NOT REPORTED</i>	Tank Piping:	<i>NOT AVAILABLE</i>
Tank Size (Units):	<i>NOT REPORTED (NOT AVAILABLE)</i>	Tank Material:	<i>UNKNOWN</i>



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #33

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	DELON AUTO CENTER 686 COMMERCIAL ST NE SALEM, OR 97301	VISTA ID#:	4962782
		Distance/Direction:	0.35 MI / N
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	2380
Agency Address:	SAME AS ABOVE		
Underground Tanks:	2		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1AU	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	2	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	5000 (GALLONS)	Tank Material:	FIBERGLASS
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	TRANSMISSION FLUID	Leak Monitoring:	NOT AVAILABLE
Tank Age:	18	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL


Map ID
22B

VISTA Address*:	TRACHSEL BUICK GMC TRUCKS 660 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	12020
		Distance/Direction:	0.30 MI / N
		Plotted as:	Point
RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD027784925
Agency Address:	SAME AS ABOVE		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	9084
Agency Address:	TRACHSEL BUICK/GMC 660 LIBERTY NE SALEM, OR 97301		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	13	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL

Map ID
23

VISTA Address*:	OLD DELON MITSUBISHI 660 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	1894009
		Distance/Direction:	0.30 MI / N
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	1776
Agency Address:	OLD DELON MITSUBISHI 660 LIBERTY ST NE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
23



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-91-4328
Agency Address:	DELON MITSUBISHI 660 LIBERTY NE SALEM, OR 97301	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	


VISTA Address*:	MC KINNEY LINCOLN MERCURY INC 695 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	265096	Map ID 23
		Distance/Direction:	0.32 MI / N	
		Plotted as:	Point	
RCRA-SmGen - RCRA-Small Generator / SRC#	3057	EPA ID:	ORD027781871	
Agency Address:	SAME AS ABOVE			
Generator Class:	GENERATORS WHO GENERATE 100 KG./MONTH BUT LESS THAN 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE			

VISTA Address*:	OREGON ASSOC. OF REALTOR 694 CHURCH STREET, NE SALEM, OR 97301	VISTA ID#:	4306354	Map ID 24
		Distance/Direction:	0.30 MI / NE	
		Plotted as:	Point	

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-93-4069
Agency Address:	OREGON ASSOC. OF REALTOR 694 CHURCH STREET, NE SALEM, OR 97303	
Tank Status:	NOT AVAILABLE	
Media Affected:	NOT AVAILABLE	
Leak Cause:	UNAVAILABLE	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	NOT AVAILABLE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source	

VISTA Address*:	PRINGLE CREEK TOWER 370 CHURCH ST SE SALEM, OR 97301	VISTA ID#:	2894686	Map ID 25A
		Distance/Direction:	0.30 MI / S	
		Plotted as:	Point	

STATE UST - State Underground Storage Tank / SRC#	3117	Agency ID:	10967
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	20	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #35

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	SALEM SURGERY CENTER 700 BELLEVUE STREET SE SALEM, OR 97301	VISTA ID#:	733584
		Distance/Direction:	0.35 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4007

Map ID
25B

Agency Address:	SALEM SURGERY CENTER 700 BELLEVUE STREET SE SALEM, OR 97402		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	9160
Agency Address:	SALEM SURGERY CENTER 700 BELLEVUE ST SE #300 SALEM, OR 97301		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	12	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	WATER ST MAINTENANCE CENTER - 010524 220 WATER ST NE SALEM, OR 97301	VISTA ID#:	733602
		Distance/Direction:	0.32 MI / W
		Plotted as:	Point


Map ID
26

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	6265
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	MISC OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	26	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	285 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	REVENUE BLDG 955 CENTER ST SE SALEM, OR 97310	VISTA ID#:	3957597
		Distance/Direction:	0.32 MI / E
		Plotted as:	Point

Map ID
27A

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	11195
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	UNKNOWN



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #36

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	B B PROPERTIES 210 CAPITOL ST NE SALEM, OR 97301	VISTA ID#:	1893093
		Distance/Direction:	0.33 MI / E
		Plotted as:	Point

Map ID

28A

SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	716
Agency Address:	B B PROPERTIES 210 CAPITOL ST NE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

RCRA-SmGen - RCRA-Small Generator / SRC# 3057		EPA ID:	ORD987175874
Agency Address:	B B PROPERTY INC 210 CAPITOL ST NE SALEM, OR 97301		
Generator Class:	GENERATORS WHO GENERATE LESS THAN 100 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE.		

VISTA Address*:	OLE'S AUTO SERVICE/BELLINGER TIRE 210 CAPTOL NE SALEM, OR 97301	VISTA ID#:	733515
		Distance/Direction:	0.34 MI / E
		Plotted as:	Point


Map ID

28A

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-92-4115
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-87-4009
Agency Address:	BELLINGER BROTHERS 210 CAPITAL, N.E. SALEM, OR 97301		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	305
Agency Address:	BELLINGER INVESTMENTS 210 CAPITOL NE SALEM, OR 97301		
Underground Tanks:	3		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #37

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	35	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	35	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL
Tank ID:	3 USED O	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1500 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	UNION 4332 II 210 CAPITOL ST SALEM, OR 97301	VISTA ID#:	2894785
		Distance/Direction:	0.34 MI / E
		Plotted as:	Point

Map ID
28A


STATE LUST - State Leaking Underground Storage Tank / SRC#	3028	Agency ID:	24-75-4001
Agency Address:	UNION 4332 II 210 CAPITOL ST SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

STATE LUST - State Leaking Underground Storage Tank / SRC#	3028	Agency ID:	24-62-4001
Agency Address:	UNOCAL #4332I (PLEASE SEE COMMENTS) 210 CAPITOL STREET SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

VISTA Address*:	MONTAG OF SALEM INC 101 UNION ST NE SALEM, OR 97301	VISTA ID#:	733563
		Distance/Direction:	0.36 MI / NW
		Plotted as:	Point

Map ID
29A

STATE UST - State Underground Storage Tank / SRC#	3117	Agency ID:	9167
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	22	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #38

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile)

VISTA Address*:	MCDONALD'S 1110 CENTER STREET, N.E. SALEM, OR 97301	VISTA ID#:	1893066
		Distance/Direction:	0.40 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4046
Agency Address:		MCDONALD'S 1110 CENTER STREET, N.E. SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

27B

VISTA Address*:	LCDC BUILDING 1175 COURT STREET NE SALEM, OR 97310	VISTA ID#:	2756754
		Distance/Direction:	0.40 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4263
Agency Address:		LCDC BUILDING 1175 COURT STREET NE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID


28B

VISTA Address*:	STEVENS EQUIPMENT COMPANY 110 DIVISION ST NE SALEM, OR 97301	VISTA ID#:	399806
		Distance/Direction:	0.44 MI / NW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4181
Agency Address:		STEVENS EQUIPMENT COMPANY 110 DIVISION ST NE SALEM, OR 97309	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

29B

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	10698
Agency Address:		STEVENS EQUIPMENT COMPANY 110 DIVISION ST NE SALEM, OR 97309	
Underground Tanks:		3	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #39

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.


Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL
Tank ID:	5U	Tank Status:	CLOSED
Tank Contents:	GASOLINE SOLVENTS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	14	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL
Tank ID:	6U	Tank Status:	CLOSED
Tank Contents:	GASOLINE SOLVENTS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	33	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	DELON AUTO CENTER 745 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	5188123
		Distance/Direction:	0.38 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4112
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
30

VISTA Address*:	DELON OLDS VOLVO HONDA 745 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	1894010
		Distance/Direction:	0.38 MI / N
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	5513
Agency Address:	SAME AS ABOVE		
Underground Tanks:	6		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	EMPTY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	15	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	FIBERGLASS
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	EMPTY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	15	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	5000 (GALLONS)	Tank Material:	FIBERGLASS
Tank ID:	4U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	WASTE OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL

Map ID
30



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #40

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

Tank ID:	5U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	OIL(NOT SPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	11	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	STEEL
Tank ID:	6U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	WASTE OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	11	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	SALEM COMMERCIAL OFFICE 780 LIBERTY ST NE SALEM, OR 97301	VISTA ID#:	733581
		Distance/Direction:	0.39 MI / N
		Plotted as:	Point

Map ID
30

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	880
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	SM-01U	Tank Status:	CLOSED
Tank Contents:	EMPTY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	44	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	1100 CHEMEKETA STREET 1100 CHEMEKETA STREET SALEM, OR 97301	VISTA ID#:	2756667
		Distance/Direction:	0.38 MI / E
		Plotted as:	Point


Map ID
31A

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4262
Agency Address:	1100 CHEMEKETA STREET 1100 CHEMEKETA STREET SALEM, OR 97310		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

VISTA Address*:	BELLINGER INVESTMENTS 315 12TH ST NE SALEM, OR 97301	VISTA ID#:	4057013
		Distance/Direction:	0.42 MI / E
		Plotted as:	Point

Map ID
31B

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	308
Agency Address:	SAME AS ABOVE		
Underground Tanks:	4		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	REPORTED AS "UNKNOWN" BY AGENCY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	35	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #41

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.


Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	REPORTED AS "UNKNOWN" BY AGENCY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	35	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	REPORTED AS "UNKNOWN" BY AGENCY	Leak Monitoring:	NOT AVAILABLE
Tank Age:	35	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	6000 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	200 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	OR STATE GSA STATE WAVERLY ST SALEM, OR 97301	VISTA ID#:	733571
		Distance/Direction:	0.39 MI / SE
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	7754
Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	15	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL

Map ID
32

VISTA Address*:	SEARS, ROEBUCK COMPANY, AUTO CENTE 550 CAPITOL STREET NE SALEM, OR 97310	VISTA ID#:	372859
		Distance/Direction:	0.41 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4270
Agency Address:	SEARS, ROEBUCK COMPANY, AUTO CENTE 550 CAPITOL STREET NE SALEM, OR 97301		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	4830
Agency Address:	SEARS ROEBUCK CO AUTO CENTER 550 CAPITOL ST NE SALEM, OR 97301		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		

Map ID
33A



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #42

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	47	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	1000 (GALLONS)	Tank Material:	UNKNOWN

VISTA Address*:	NE CORNER OF PARKING LOT UNION ST NE CAPITOL ST NE SALEM, OR 97301	VISTA ID#:	733565
		Distance/Direction:	0.42 MI / E
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	8629

Map ID

33B


Agency Address:	SAME AS ABOVE		
Underground Tanks:	5		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	29	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	3500 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	29	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	3500 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	KEROSENE	Leak Monitoring:	NOT AVAILABLE
Tank Age:	29	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	2000 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	29	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	700 (GALLONS)	Tank Material:	STEEL
Tank ID:	5U	Tank Status:	CLOSED
Tank Contents:	NOT REPORTED	Leak Monitoring:	NOT AVAILABLE
Tank Age:	29	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL

VISTA Address*:	BLUE PARKING LOT UNION ST CAPITOL ST SALEM, OR 97310	VISTA ID#:	733868
		Distance/Direction:	0.42 MI / E
		Plotted as:	Point
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	8721

Map ID

33B

Agency Address:	SAME AS ABOVE		
Underground Tanks:	1		
Aboveground Tanks:	NOT REPORTED		
Tanks Removed:	NOT REPORTED		
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #43

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

VISTA Address*:	OREGON STATE AGRICULTURAL BLDG AHOT 635 CAPITAL ST NE SALEM, OR 97310	VISTA ID#:	312259
		Distance/Direction:	0.44 MI / E
		Plotted as:	Point

Map ID
33C

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-94-6036
--	------------	------------

Agency Address:	SAME AS ABOVE
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-94-4121
--	------------	------------


Agency Address:	STATE AGRICULTURE BLDG 635 CAPITOL STREET NE SALEM, OR 97310
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	NOT AVAILABLE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source

VISTA Address*:	WINDOWS TO THE WEST 533 COMMERCIAL STREET, SE SALEM, OR 97301	VISTA ID#:	3663245
		Distance/Direction:	0.43 MI / SW
		Plotted as:	Point

Map ID
34

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-92-4108
--	------------	------------

Agency Address:	SAME AS ABOVE
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	NOT AVAILABLE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #44

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.


VISTA Address*:	HOTEL-JOHNSON RAY REALTY 870 LIBERTY ST SALEM, OR 97301	VISTA ID#:	3663368
		Distance/Direction:	0.45 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4373
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
35

VISTA Address*:	WINSTON MANAGEMENT 889 LIBERTY ROAD, N.E. SALEM, OR 97301	VISTA ID#:	733604
		Distance/Direction:	0.48 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4037
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
35

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	9417
Agency Address:		WINSTON MANAGEMENT 889 LIBERTY RD NE SALEM, OR 97301 4	
Underground Tanks:		NOT REPORTED	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #45

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

VISTA Address*:	DAWNA DAVIES 881 COTTAGE ST NE SALEM, OR 97301	VISTA ID#:	4306397
		Distance/Direction:	0.46 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4108
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

36

VISTA Address*:	MUSGROVE RESIDENCE 610 LIBERTY STREET SE SALEM, OR 97301	VISTA ID#:	5394313
		Distance/Direction:	0.46 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4061
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

37

VISTA Address*:	ROBERTSON BUILDING 1215 STATE STREET NE SALEM, OR 97303	VISTA ID#:	5394410
		Distance/Direction:	0.47 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4046
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

38



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #46

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.


VISTA Address*:	STATE STREET OFFICE 1243 STATE STREET SALEM, OR 97301	VISTA ID#:	5394411
		Distance/Direction:	0.48 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4029
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
38

VISTA Address*:	VIKINGS FOUR RESTAURANT 1275 STATE STREET SALEM, OR 97301	VISTA ID#:	2757653
		Distance/Direction:	0.50 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4192
Agency Address:		VIKINGS FOUR RESTAURANT 1275 STATE STREET SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
38

STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	10899
Agency Address:		VIKING 4 RESTAURANT 1275 STATE ST SALEM, OR 97301	
Underground Tanks:		4	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	45	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	UNKNOWN
Tank ID:	2U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	45	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	UNKNOWN
Tank ID:	3U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	45	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	UNKNOWN
Tank ID:	4U	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	45	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	UNKNOWN



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996


Version 2.4.1

Page #47

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

Map ID
39A

VISTA Address*:	GSA REAL PROPERTY DIVISION 1225 FERRY ST. S.E. SALEM, OR 97310	VISTA ID#:	733869
		Distance/Direction:	0.49 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4022
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	
STATE UST - State Underground Storage Tank / SRC# 3117		Agency ID:	7759
Agency Address:		GSA REAL PROPERTY DIVISION 1225 FERRY ST SE SALEM, OR 97310	
Underground Tanks:		9	
Aboveground Tanks:		NOT REPORTED	
Tanks Removed:		NOT REPORTED	
Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	25	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL
Tank ID:	2U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	25	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL
Tank ID:	3U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	25	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL
Tank ID:	4U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	25	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	4000 (GALLONS)	Tank Material:	STEEL
Tank ID:	5U	Tank Status:	CLOSED
Tank Contents:	GASOLINE (UNSPECIFIED)	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL
Tank ID:	6U	Tank Status:	CLOSED
Tank Contents:	USED OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	30	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	500 (GALLONS)	Tank Material:	STEEL
Tank ID:	12U	Tank Status:	CLOSED
Tank Contents:	PRINTING CHEMICALS AND/OR MATERIALS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	UNKNOWN
Tank ID:	13U	Tank Status:	CLOSED
Tank Contents:	PRINTING CHEMICALS AND/OR MATERIALS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	UNKNOWN



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #48

SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile) CONT.

Tank ID:	14U	Tank Status:	CLOSED
Tank Contents:	PRINTING CHEMICALS AND/OR MATERIALS	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	NOT REPORTED (NOT AVAILABLE)	Tank Material:	UNKNOWN

VISTA Address*:	OREGON GENERAL SERVICES 1225 FERRY STREET SALEM, OR 97310	VISTA ID#:	1893701
		Distance/Direction:	0.49 MI / SE
		Plotted as:	Point

Map ID
39A

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-90-4013
--	------------	------------

Agency Address:	SAME AS ABOVE
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source

VISTA Address*:	EVERGREEN STAGE LINES 854 FRONT ST SALEM, OR 97301	VISTA ID#:	3957663
		Distance/Direction:	0.49 MI / N
		Plotted as:	Point

Map ID
40

STATE UST - State Underground Storage Tank / SRC# 3117	Agency ID:	11184
---	------------	-------

Agency Address:	SAME AS ABOVE
Underground Tanks:	1
Aboveground Tanks:	NOT REPORTED
Tanks Removed:	NOT REPORTED

Tank ID:	1U	Tank Status:	CLOSED
Tank Contents:	DIESEL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	14	Tank Piping:	NOT AVAILABLE
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL


SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)

VISTA Address*:	OREGON GENERAL SERVICES 1240 FERRY STREET SALEM, OR 97310	VISTA ID#:	2756932
		Distance/Direction:	0.50 MI / SE
		Plotted as:	Point

Map ID
39

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-90-4001
--	------------	------------

Agency Address:	OREGON GENERAL SERVICES 1240 FERRY STREET SALEM, OR
Tank Status:	NOT AVAILABLE
Media Affected:	NOT AVAILABLE
Leak Cause:	UNAVAILABLE
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #49

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	STEUSEOFFE PROPERTY 245 13TH, N.E. SALEM, OR 97301	VISTA ID#:	2756271
		Distance/Direction:	0.50 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4171
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

41

VISTA Address*:	WILLAMETTE UNIVERSITY 1 1391 COURT STREET NE SALEM, OR 97301	VISTA ID#:	5810609
		Distance/Direction:	0.56 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4155
Agency Address:		WILLAMETTE UNIVERSITY 1 1391 COURT STREET NE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

41

VISTA Address*:	SALEM HOSPITAL 665 WINTER ST SE SALEM, OR 97301	VISTA ID#:	365696
		Distance/Direction:	0.51 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-92-4201
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

42



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #50

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	OREGON GENERAL SERVICES - SUMMER 835 SUMMER, N.E. SALEM, OR 97301	VISTA ID#:	1895204
		Distance/Direction:	0.52 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4066
Agency Address:		OREGON GENERAL SERVICES - SUMMER 835 SUMMER, N.E. SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

43

VISTA Address*:	COREY PROPERTY 885 D STREET NE SALEM, OR 97301	VISTA ID#:	5054418
		Distance/Direction:	0.54 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4020
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

43

VISTA Address*:	OGSA/ARCHIVES BUILDING CAPITOL PARISH STREETS SALEM, OR 97301	VISTA ID#:	1894756
		Distance/Direction:	0.56 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4063
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

44



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #51

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	JIM LINDA WEBB RESIDENCE 575 MISSION STREET SE SALEM, OR 97302	VISTA ID#:	5684558
		Distance/Direction:	0.56 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4129
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID
45

VISTA Address*:	WES GLADOW 1085 BROADWAY NE SALEM, OR 97301	VISTA ID#:	5188023
		Distance/Direction:	0.58 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4106
Agency Address:		WES GLADOW 1085 BROADWAY NE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
46

VISTA Address*:	JOHNSON HOME 1043 WINTER STREET NE SALEM, OR 97301	VISTA ID#:	5540549
		Distance/Direction:	0.60 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4084
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
47



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #52

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.


VISTA Address*:	MISSION MILL VILLAGE 1313 MILL STREET, SE SALEM, OR 97301	VISTA ID#:	3663381
		Distance/Direction:	0.61 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4998
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
48

VISTA Address*:	TOKYO INTERNATIONAL UNIVERSITY 1300 MILL STREET, S.E. SALEM, OR 97301	VISTA ID#:	1894174
		Distance/Direction:	0.61 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4250
Agency Address:	TOKYO INTERNATIONAL UNIVERSITY 1300 MILL STREET, S.E. SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
48

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4225
Agency Address:	TOKYO INTERNATIONAL UNIVERSITY 1300 MILL STREET, S.E. SALEM, OR		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #53

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	4-PLEX RENTAL 1410 FERRY STREET SALEM, OR 97301	VISTA ID#:	5188082
		Distance/Direction:	0.62 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-4114
Agency Address:		4-PLEX RENTAL 1410 FERRY STREET SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

49

VISTA Address*:	GOLDSMITH, KEN SMITH, CLINTON HOT 280 15TH STREET SE SALEM, OR 97301	VISTA ID#:	6472136
		Distance/Direction:	0.69 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-5239
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

49

VISTA Address*:	ARCO PRODUCTS CO 4186 805 COMMERCIAL ST SE SALEM, OR 97302	VISTA ID#:	733608
		Distance/Direction:	0.63 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4021
Agency Address:		ARCO SS #4186 805 COMMERCIAL ST. S.E. SALEM, OR 97302	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

50



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #54

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	KWAN'S RESTAURANT 835 COMMERCIAL SOUTH SALEM, OR 97302	VISTA ID#:	4557837
		Distance/Direction:	0.65 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4212
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		


Map ID
50

VISTA Address*:	COMMERCIAL BUSINESS SUPPLY 1115 COMMERCIAL, N.E. SALEM, OR 97310	VISTA ID#:	1893045
		Distance/Direction:	0.65 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4056
Agency Address:	COMMERCIAL BUSINESS SUPPLY 1115 COMMERCIAL, N.E. SALEM, OR 97301		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
51

VISTA Address*:	TEMPLE RESIDENCE H.O.T. 875 BELMONT STREET NE SALEM, OR 97301	VISTA ID#:	6472208
		Distance/Direction:	0.66 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-96-4054
Agency Address:	SAME AS ABOVE		
Tank Status:	NOT AVAILABLE		
Media Affected:	NOT AVAILABLE		
Leak Cause:	UNAVAILABLE		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	NOT AVAILABLE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Discovery Date, Substance, Quantity (Units), Leak Source		

Map ID
52



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #55

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	C.W. PALMATEER 1110 SUMMER STREET NE SALEM, OR 97301	VISTA ID#:	4557957
		Distance/Direction:	0.68 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4221
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

52

VISTA Address*:	NEWHARTH RESIDENCE 975 BELMONT STREET, NE SALEM, OR 97301	VISTA ID#:	5054380
		Distance/Direction:	0.69 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4203
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

52

VISTA Address*:	JUDY DUPELL 1170 SUMMER ST NE SALEM, OR 97301	VISTA ID#:	4306722
		Distance/Direction:	0.70 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-5108
Agency Address:		JUDY DUPELL 1170 SUMMER ST NE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

52



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #56

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	WELL WALLACE ROAD R.R. SALEM, OR	VISTA ID#:	1894806
		Distance/Direction:	0.67 MI / W
		Plotted as:	Point

Map ID
53

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-84-4003
--	------------	------------

Agency Address:	<i>SAME AS ABOVE</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>NOT AVAILABLE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

VISTA Address*:	WELL-MUNICIPAL CITY SALEM WALLACE RD. AND RAILROAD SALEM, OR 97300	VISTA ID#:	1894828
		Distance/Direction:	0.67 MI / W
		Plotted as:	Point

Map ID
53

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	27-84-4003
--	------------	------------


Agency Address:	<i>SAME AS ABOVE</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>CASE CLOSED/CLEANUP COMPLETE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

VISTA Address*:	PCB SPILL - MILL ST 1440 MILL ST SE SALEM, OR 97301	VISTA ID#:	1894175
		Distance/Direction:	0.68 MI / SE
		Plotted as:	Point

Map ID
54

SCL - State Equivalent CERCLIS List / SRC# 3027	Agency ID:	230
--	------------	-----

Agency Address:	<i>PCB SPILL - MILL ST 1440 MILL ST SE SALEM, OR</i>
Facility Type:	<i>NOT AVAILABLE</i>
Lead Agency:	<i>NOT AVAILABLE</i>
State Status:	<i>NOT AVAILABLE</i>
Pollutant 1:	<i>UNKNOWN</i>
Pollutant 2:	<i>UNKNOWN</i>
Pollutant 3:	<i>UNKNOWN</i>
Fields Not Reported:	<i>Status</i>



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: **October 3, 1996**

Version 2.4.1

Page #57

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	KONDITOREI 310 KEARNEY STREET SE SALEM, OR 97302	VISTA ID#:	5324208
		Distance/Direction:	0.68 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4003
Agency Address:		<i>KONDITOREI</i> <i>310 KEARNEY STREET SE</i> <i>SALEM, OR 97303</i>	
Tank Status:		<i>NOT AVAILABLE</i>	
Media Affected:		<i>NOT AVAILABLE</i>	
Leak Cause:		<i>UNAVAILABLE</i>	
Remedial Action:		<i>NOT AVAILABLE</i>	
Remedial Status 1:		<i>NOT AVAILABLE</i>	
Remedial Status 2:		<i>NOT AVAILABLE</i>	
Fields Not Reported:		<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>	

Map ID

55

VISTA Address*:	A TO Z RENTAL CENTER 995 COMERCIAL ST. SE SALEM, OR 97302	VISTA ID#:	733605
		Distance/Direction:	0.74 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-90-4014
Agency Address:		<i>SAME AS ABOVE</i>	
Tank Status:		<i>NOT AVAILABLE</i>	
Media Affected:		<i>NOT AVAILABLE</i>	
Leak Cause:		<i>UNAVAILABLE</i>	
Remedial Action:		<i>NOT AVAILABLE</i>	
Remedial Status 1:		<i>CASE CLOSED/CLEANUP COMPLETE</i>	
Remedial Status 2:		<i>NOT AVAILABLE</i>	
Fields Not Reported:		<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>	


Map ID

55

VISTA Address*:	DILLION, ALBERT-HOT 1510 STATE STREET SALEM, OR 97301	VISTA ID#:	6472442
		Distance/Direction:	0.68 MI / E
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-5187
Agency Address:		<i>SAME AS ABOVE</i>	
Tank Status:		<i>NOT AVAILABLE</i>	
Media Affected:		<i>NOT AVAILABLE</i>	
Leak Cause:		<i>UNAVAILABLE</i>	
Remedial Action:		<i>NOT AVAILABLE</i>	
Remedial Status 1:		<i>NOT AVAILABLE</i>	
Remedial Status 2:		<i>NOT AVAILABLE</i>	
Fields Not Reported:		<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>	

Map ID

56



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #58

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	GRANT ELEMENTARY SCHOOL 745 NE MARKET ST SALEM, OR 97301	VISTA ID#:	4057105
		Distance/Direction:	0.69 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4066
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID
57

VISTA Address*:	SALVATION ARMY 1230 WINTER ST. SALEM, OR 97303	VISTA ID#:	1895921
		Distance/Direction:	0.71 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-91-4012
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
57

VISTA Address*:	RAWLINSON'S CAPITAL CITY LAUNDRY 1264 BROADWAY NE SALEM, OR 97303	VISTA ID#:	733766
		Distance/Direction:	0.70 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-93-4195
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID
58



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #59

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	RAWLINSON'S LAUNDRY 1264 BROADWAY SALEM, OR 97303	VISTA ID#:	347491
		Distance/Direction:	0.70 MI / N
		Plotted as:	Point

Map ID

58

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-84-4007
--	------------	------------

Agency Address:	<i>SAME AS ABOVE</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>CASE CLOSED/CLEANUP COMPLETE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-93-4208
--	------------	------------

Agency Address:	<i>RAWLINSON'S CLEANERS II</i> <i>1264 BROADWAY, NE</i> <i>SALEM, OR 97301</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>NOT AVAILABLE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

VISTA Address*:	AYNBEE MOTORS 1320 BROADWAY SALEM, OR 97303	VISTA ID#:	733691
		Distance/Direction:	0.74 MI / NE
		Plotted as:	Point

Map ID


58

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-89-4164
--	------------	------------

Agency Address:	<i>AYNBEE MOTORS</i> <i>1320 BROADWAY</i> <i>SALEM, OR 97302</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>CASE CLOSED/CLEANUP COMPLETE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>

STATE LUST - State Leaking Underground Storage Tank / SRC# 3028	Agency ID:	24-94-4018
--	------------	------------

Agency Address:	<i>ANYBEE MOTORS</i> <i>1320 BROADWAY NE</i> <i>SALEM, OR 97301</i>
Tank Status:	<i>NOT AVAILABLE</i>
Media Affected:	<i>NOT AVAILABLE</i>
Leak Cause:	<i>UNAVAILABLE</i>
Remedial Action:	<i>NOT AVAILABLE</i>
Remedial Status 1:	<i>CASE CLOSED/CLEANUP COMPLETE</i>
Remedial Status 2:	<i>NOT AVAILABLE</i>
Fields Not Reported:	<i>Discovery Date, Substance, Quantity (Units), Leak Source</i>



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #60

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	BATTIN, C HOT 1270 CHURCH ST NE SALEM, OR 97303	VISTA ID#:	5324138
		Distance/Direction:	0.70 MI / NE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-94-5276
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

59

VISTA Address*:	OTTO PROPERTY 570 14TH SE SALEM, OR 97301	VISTA ID#:	1892336
		Distance/Direction:	0.72 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-80-4002
Agency Address:		OTTO PROPERTY 570 14TH SE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	


Map ID

60

VISTA Address*:	FIREHOUSE 5 CAR WASH 1212 MISSION ST. S.E. SALEM, OR 97302	VISTA ID#:	733623
		Distance/Direction:	0.75 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-89-4187
Agency Address:		SAME AS ABOVE	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		NOT AVAILABLE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

61



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #61

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	S. PACIFIC TRANSPORT. CO. 500 13TH STREET SE SALEM, OR 97301	VISTA ID#:	5540051
		Distance/Direction:	0.75 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 3028		Agency ID:	24-95-4070
Agency Address:		S. PACIFIC TRANSPORT. CO. 500 13TH STREET SE SALEM, OR	
Tank Status:		NOT AVAILABLE	
Media Affected:		NOT AVAILABLE	
Leak Cause:		UNAVAILABLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Discovery Date, Substance, Quantity (Units), Leak Source	

Map ID

61

SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles)

VISTA Address*:	OREGON FRUIT PRODUCTS 150 PATTERSON ST NW SALEM, OR 97304	VISTA ID#:	733809
		Distance/Direction:	0.86 MI / W
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	981
Agency Address:		OREGON FRUIT PRODUCTS 150 PATTERSON ST NW SALEM, OR	
Facility Type:		NOT AVAILABLE	
Lead Agency:		NOT AVAILABLE	
State Status:		NOT AVAILABLE	
Pollutant 1:		UNKNOWN	
Pollutant 2:		UNKNOWN	
Pollutant 3:		UNKNOWN	
Fields Not Reported:		Status	


Map ID

62

VISTA Address*:	AGRIPAC INC. 325 PATTERSON ST NW SALEM, OR 97304	VISTA ID#:	8304
		Distance/Direction:	0.92 MI / W
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	353
Agency Address:		AGRIPAC INC. 325 PATTERSON ST NW SALEM, OR	
Facility Type:		NOT AVAILABLE	
Lead Agency:		NOT AVAILABLE	
State Status:		NOT AVAILABLE	
Pollutant 1:		UNKNOWN	
Pollutant 2:		UNKNOWN	
Pollutant 3:		UNKNOWN	
Fields Not Reported:		Status	

Map ID

62



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #62

SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles) CONT.

VISTA Address*:	JC JONES OIL CO. 650 15TH ST SE SALEM, OR 97301	VISTA ID#:	215699
		Distance/Direction:	0.88 MI / SE
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	209
Agency Address:	JC JONES OIL CO. 650 15TH ST SE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		


Map ID
63

VISTA Address*:	CIRCUIT WORLD INC. 585 9TH ST NW SALEM, OR 97304	VISTA ID#:	1892689
		Distance/Direction:	0.91 MI / NW
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	356
Agency Address:	CIRCUIT WORLD INC. 585 9TH ST NW SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
64

VISTA Address*:	MAIN AUTO BODY 1610 COMMERCIAL ST NE SALEM, OR 97303	VISTA ID#:	4962784
		Distance/Direction:	0.94 MI / N
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	1611
Agency Address:	MAIN AUTO BODY 1610 COMMERCIAL ST NE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
65



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #63

SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles) CONT.

VISTA Address*:	NORRIS PAINT VARNISH INC 1675 COMMERCIAL ST NE SALEM, OR 97303	VISTA ID#:	299174
		Distance/Direction:	0.97 MI / N
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 2982		Agency ID:	307

Map ID
65

Agency Address:	SAME AS ABOVE
Facility Type:	NOT AVAILABLE
Lead Agency:	NOT AVAILABLE
State Status:	STATE LEAD
Pollutant 1:	BENZENE
Pollutant 2:	CHROME/CHROMIUM
Pollutant 3:	LEAD
Fields Not Reported:	Status

SCL - State Equivalent CERCLIS List / SRC# 3027	Agency ID:	307
--	------------	-----

Agency Address:	NORRIS PAINT CO. 1675 COMMERCIAL ST NE SALEM, OR
Facility Type:	NOT AVAILABLE
Lead Agency:	NOT AVAILABLE
State Status:	NOT AVAILABLE
Pollutant 1:	UNKNOWN
Pollutant 2:	UNKNOWN
Pollutant 3:	UNKNOWN
Fields Not Reported:	Status

VISTA Address*:	GNB BATTERY 576 PATTERSON ST NW SALEM, OR 97304	VISTA ID#:	173654
		Distance/Direction:	1.01 MI / W
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	358


Map ID
66

Agency Address:	GNB BATTERY 576 PATTERSON ST NW SALEM, OR
Facility Type:	NOT AVAILABLE
Lead Agency:	NOT AVAILABLE
State Status:	NOT AVAILABLE
Pollutant 1:	UNKNOWN
Pollutant 2:	UNKNOWN
Pollutant 3:	UNKNOWN
Fields Not Reported:	Status

VISTA Address*:	ALLIED AUTO SUPPLY 1295 12TH ST SE SALEM, OR 97302	VISTA ID#:	733607
		Distance/Direction:	1.09 MI / S
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	190

Map ID
67

Agency Address:	ALLIED AUTO SUPPLY 1295 12TH ST SE SALEM, OR
Facility Type:	NOT AVAILABLE
Lead Agency:	NOT AVAILABLE
State Status:	NOT AVAILABLE
Pollutant 1:	UNKNOWN
Pollutant 2:	UNKNOWN
Pollutant 3:	UNKNOWN
Fields Not Reported:	Status



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #64

SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles) CONT.

VISTA Address*:	RELIANCE UNIVERSAL, INC 1660 CROSS ST. SE SALEM, OR 97302	VISTA ID#:	351012
		Distance/Direction:	1.14 MI / SE
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	742
Agency Address:	RELIANCE UNIVERSAL INC. 1660 CROSS ST SE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		


Map ID
68

VISTA Address*:	HYGENICS OF OREGON 1335 MADISON ST NE SALEM, OR 97303	VISTA ID#:	204285
		Distance/Direction:	1.19 MI / NE
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	979
Agency Address:	HYGENICS OF OREGON 1335 MADISON ST NE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
69

VISTA Address*:	OREGON GLOVE CO. 1490 12TH ST SE SALEM, OR 97302	VISTA ID#:	1892312
		Distance/Direction:	1.22 MI / S
		Plotted as:	Point
SCL - State Equivalent CERCLIS List / SRC# 3027		Agency ID:	228
Agency Address:	OREGON GLOVE CO. 1490 12TH ST SE SALEM, OR		
Facility Type:	NOT AVAILABLE		
Lead Agency:	NOT AVAILABLE		
State Status:	NOT AVAILABLE		
Pollutant 1:	UNKNOWN		
Pollutant 2:	UNKNOWN		
Pollutant 3:	UNKNOWN		
Fields Not Reported:	Status		

Map ID
70



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001


Date of Report: October 3, 1996

Version 2.4.1

Page #65

UNMAPPED SITES

No Records Found



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 116400-001

Date of Report: October 3, 1996

Version 2.4.1

Page #66

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

DESCRIPTION OF DATABASES SEARCHED

A) DATABASES SEARCHED TO 1 1/4 MILES

NPL
SRC#: 3064 VISTA conducts a database search to identify all sites within 1.25 mile of your property.
The agency release date for NPL was June, 1996.

The National Priorities List (NPL) is the EPA's database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must meet or surpass a predetermined hazard ranking system score, be chosen as a state's top priority site, or meet three specific criteria set jointly by the US Dept of Health and Human Services and the US EPA in order to become an NPL site.

SCL
SRC#: 2982 VISTA conducts a database search to identify all sites within 1.25 mile of your property.
The agency release date for Summary of Facilities on DEQ Confirmed Release List was April, 1996.

This database is provided by the Department of Environmental Quality, Site Assessment Program.

SCL
SRC#: 3027 VISTA conducts a database search to identify all sites within 1.25 mile of your property.
The agency release date for Environmental Cleanup Site Information System was April, 1996.

This database is provided by the Department of Environmental Quality.


RCRA-TSD
SRC#: 3057 VISTA conducts a database search to identify all sites within 1.25 mile of your property.
The agency release date for RCRIS was May, 1996.

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA TSDs are facilities which treat, store and/or dispose of hazardous waste.

B) DATABASES SEARCHED TO 3/4 MILE

CERCLIS
SRC#: 2976 VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for CERCLIS was March, 1996.

The CERCLIS List contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL. The information on each site includes a history of all pre-remedial, remedial, removal and community relations activities or events at the site, financial funding information for the events, and unrestricted enforcement activities.



NFRAP
SRC#: 2977

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for CERCLIS-NFRAP was March, 1996.

NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly, or the contamination was not serious enough to require Federal Superfund action or NPL consideration.

SWLF
SRC#: 2900

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for Closure Regular Solid Waste Disposal Sites was February, 1996.

This database is provided by the Department of Environmental Quality.

LUST
SRC#: 3028

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for LUST Database List was April, 1996.

This database is provided by the Department of Environmental Quality.

C) DATABASES SEARCHED TO 1/2 MILE

UST's
SRC#: 3117

VISTA conducts a database search to identify all sites within 1/2 mile of your property.
The agency release date for Underground Storage Tank Facilities List was July, 1996.

This database is provided by the Department of Environmental Quality, UST Compliance Section; Caution-Many states do not require registration of heating oil tanks, especially those used for residential purposes.

D) DATABASES SEARCHED TO 3/8 MILE

ERNS
SRC#: 3006


VISTA conducts a database search to identify all sites within .375 mile of your property.
The agency release date for ERNS was March, 1996.

The Emergency Response Notification System (ERNS) is a national database used to collect information on reported releases of oil and hazardous substances. The database contains information from spill reports made to federal authorities including the EPA, the US Coast Guard, the National Response Center and the Department of transportation. A search of the database records for the period October 1986 through June 1995 revealed the following information regarding reported spills of oil or hazardous substances in the stated area.

RCRA-LgGen
SRC#: 3057

VISTA conducts a database search to identify all sites within .375 mile of your property.
The agency release date for RCRIS was May, 1996.


The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Generators are facilities which generate at least 1000 kg./month of non-acutely hazardous waste (or 1 kg./month of acutely hazardous waste).



RCRA-SmGen VISTA conducts a database search to identify all sites within .375 mile of your property.
SRC#: 3057 The agency release date for RCRIS was **May, 1996**.

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small and Very Small generators are facilities which generate less than 1000 kg./month of non-acutely hazardous waste.

End of Report



For more information call VISTA Information Solutions, Inc. at **1 - 800 - 767 - 0403**.

Report ID: **116400-001**

Date of Report: **October 3, 1996**

Version **2.4.1**

Page #69

APPENDIX B

OREGON STATE FIRE MARSHAL
INCIDENT REPORTS

DO NOT WRITE IN THIS SPACE

OREGON STATE FIRE MARSHAL
HAZARDOUS MATERIAL EMERGENCY
INCIDENT REPORT

AGENCY REPORT NO.

93-4947

03-321-930243

DISTRICT OF INCIDENT: SALOM COUNTY: MARION DEPT. RESPONDING: SALOM FD.

MO DAY YEAR: 6-9-93 DAY: SUN TUE THU SAT MON WED FRI
ALARM TIME: 0853 ARRIVAL TIME: 0858 TIME BACK IN SERVICE: 12:34ms
INCIDENT LOCATION: 525 COURT ST NE CITY: SALOM
COUNTY: MARION CENSUS TRACT: _____ ZIP CODE: 97301

RESPONSIBLE PARTY(IES): ALTON W. PALMER
COMPANY: NORTH SRY COMMUNICATIONS CITY: SALOM STATE: OR
ADDRESS: 1411 SALOM INDUSTRIAL DR NE
ZIP CODE: 97303 PHONE: 364-6692 OR: _____

SCENE TYPE: PUBLIC ROAD PRIVATE ROAD PUBLIC STRUCTURE PRIVATE STRUCTURE PUBLIC LAND PRIVATE LAND FOREST WATERWAY OTHER (list)
5. AREA TYPE: INDUSTRIAL RESIDENTIAL FOREST COMMERCIAL RURAL/AGRI OTHER

WEATHER: CLEAR RAIN FOG SNOW ICE OTHER FACTORS _____
WIND SPEED: 10 MPH DIRECTION: FROM SOUTHWEST

AGENCIES RESPONDING: (show # of units)
FIRE 13 HAZMAT TEAM _____ POLICE 10 DEQ _____ PUBLIC WORKS 5 AMBULANCE 3
STATE AGENCY _____ FEDERAL AGENCY _____ RAILROAD _____ OTHER NW NATURAL GAS & PGE (4 & 4)

8. ACTION TAKEN AT THE SCENE: (Check all that apply)
SECURE AREA HOT ZONE DETERMINED: ACTIVATE OARS IDENTIFY HAZ-MAT
LOWD CNTL. ON-SITE EMS TRAFFIC CNTL. EVACUATION APPROX. 260 PEOPLE
CONTAINMENT TRANSPORT PT. EXTINGUISHMENT DECONTAMINATE
CLEAN-UP PUB. INFO. REL. REMOVE HAZARD

SOURCE OF INCIDENT: COMMERCIAL VEHICLE CAR TRAIN SHIP AIRCRAFT
DRUG LAB FIXED FACILITY PIPELINE OTHER (List) 2" LP GAS LINE
MATERIAL INVOLVED: FUEL CARGO PRODUCT WASTE MATERIAL

9. CAUSE OF INCIDENT: DURING DELIVERY/SHIPMENT DURING STORAGE DURING MANUFACTURE ABANDONED/PARKED
NORMAL OPERATION EXCAVATION UNAUTHORIZED RELEASE IN TRANSIT
DURING FIRE/EXPLOSION CAR CONNECT DERAILMENT DOCKED
DURING REPAIR MATERIAL NOT RELEASED

12. HAZ-MAT BEHAVIOR ON RELEASE: INERT/NO REACTION ENTERED WATERWAY BECAME AIRBORNE CONTAMINATED AREA
USED FIRE CONTRIBUTED TO FIRE CAUSED EXPLOSION CONTRIBUTED TO EXPLOSION
OTHER: HIGH EXPLOSION POTENTIAL

13. CHEMICAL/TRADE NAME: NATURAL GAS UN/NA#: 1971
CAS # _____
NUMBER OF CONTAINERS: 1 SIZE OF CONTAINERS: 2-inch Pipeline
AMOUNT AT RISK: _____ LBS. _____ GALS. Unlimited CUBIC FEET
AMOUNT RELEASED: _____ LBS. _____ GALS. 17,000 CUBIC FEET
PLEASE LIST REMAINING CHEMICALS INVOLVED ON REVERSE SIDE

14. MATERIAL IDENTITY: SHIPPING PAPERS PLACARDS RESPONSIBLE PARTY
MEM-TREC SFM HAZ-COMM TEXTBOOKS
ON-SCENE TESTS OFF-SCENE ANALYSIS OTHER (List)

15. ESTIMATED PROPERTY LOSS: VEHICLE & CARGO \$ 0 FIXED PROPERTY \$ 0 TOTAL ESTIMATED LOSS \$ 0

16. CASUALTIES: FIRE SERVICE 0 INJURIES 0 DEATHS 0 ON-SCENE DECON 0 TREATED ON-SCENE 0 HOSPITALIZED 0
VOLUNTARIAN 0
OTHER PERSONNEL 0

17. PERSON MAKING REPORT: RO JOHNSON TITLE: DEPUTY FIRE MARSHAL
AGENCY: SALOM FIRE DEPT AGENCY ID# 74321 PHONE: 583-6245

DESCRIBE THE CAUSE OF THE INCIDENT IN COMMENTS SECTION ON BACK OF FORM

COMPLETE THE REVERSE SIDE OF THIS FORM

DATE/TIME
INCIDENT SCENE
EMERG. ACTION
SOURCE
MATERIAL
CASUALTIES

1. CHEMICAL/TRADE NAME: _____	UN/NA#: _____
CAS# _____	
UMBR OF CONTAINERS: _____	SIZE OF CONTAINERS: _____
MOUNT AT RISK: _____ LBS.	_____ GALS. _____ CUBIC FEET
MOUNT RELEASED: _____ LBS.	_____ GALS. _____ CUBIC FEET
3. CHEMICAL/TRADE NAME: _____	UN/NA#: _____
CAS# _____	
UMBR OF CONTAINERS: _____	SIZE OF CONTAINERS: _____
MOUNT AT RISK: _____ LBS.	_____ GALS. _____ CUBIC FEET
MOUNT RELEASED: _____ LBS.	_____ GALS. _____ CUBIC FEET
3. CHEMICAL/TRADE NAME: _____	UN/NA#: _____
CAS# _____	
UMBR OF CONTAINERS: _____	SIZE OF CONTAINERS: _____
MOUNT AT RISK: _____ LBS.	_____ GALS. _____ CUBIC FEET
MOUNT RELEASED: _____ LBS.	_____ GALS. _____ CUBIC FEET
3. CHEMICAL/TRADE NAME: _____	UN/NA#: _____
CAS# _____	
UMBR OF CONTAINERS: _____	SIZE OF CONTAINERS: _____
MOUNT AT RISK: _____ LBS.	_____ GALS. _____ CUBIC FEET
MOUNT RELEASED: _____ LBS.	_____ GALS. _____ CUBIC FEET
3. CHEMICAL/TRADE NAME: _____	UN/NA#: _____
CAS# _____	
UMBR OF CONTAINERS: _____	SIZE OF CONTAINERS: _____
MOUNT AT RISK: _____ LBS.	_____ GALS. _____ CUBIC FEET
MOUNT RELEASED: _____ LBS.	_____ GALS. _____ CUBIC FEET
1. TOTAL AMOUNT RELEASED: _____ LBS.	_____ GALS. <u>17,000</u> CUBIC FEET.

MATERIAL

1. COMMENTS SECTION

2" LP GAS LINE STRUCK WITH BORING ROD BY CREWS FROM NORTH SKY COMMUNICATIONS. THEY HAD PRELOCATED THE GAS LINE AT 27". THEY BEGAN BORING AT 34". THEY STRUCK AN OBSTRUCTION UNDER SIDEWALK ADJACENT TO GAS LINE. THEY PULLED BACK, REPOSITIONED AND STARTED BORING AGAIN. DURING THIS BORING, THE GAS LINE WAS STRUCK. THE FOREMAN OF NORTH SKY COMMUNICATIONS CALLED NORTHWEST NATURAL GAS WHO IN TURN NOTIFIED FIRE DEPT. HIGH LEVELS OF GAS FOUND IN BASEMENT AND FLOORS OF SENATOR BUILDING. ENTIRE BLOCK OF BUSINESSES EVALUATED. PGE NOTIFIED AND TURNED OFF POWER.

GAS ALLOWED TO VENTILATE FROM BUILDING, POWER TURNED BACK ON APPROXIMATELY 3 HRS AFTER BEGINNING OF INCIDENT.

THIS 2" GAS LINE HAS A NORMAL OPERATING PRESSURE OF 43 PSI.

COMMENTS

DO NOT WRITE IN THIS SPACE
03-321-091323

OREGON STATE FIRE MARSHAL
HAZARDOUS MATERIAL EMERGENCY
INCIDENT REPORT

AGENCY REPORT NO.
107402

DISTRICT OF INCIDENT: Salem COUNTY: Marion-47 DEPT. RESPONDING: Salem F.D.

1. MO DAY YEAR DAY: SUN TUE THU SAT
8-29-91 MON WED FRI
ALARM TIME 1055 ARRIVAL TIME 1058 TIME BACK IN SERVICE 1111
INCIDENT LOCATION: 500 Court St. NE CITY: Salem
COUNTY: Marion CENSUS TRACT: 000100 ZIP CODE: 97301

2. RESPONSIBLE PARTY(IES): Unknown Vehicle
COMPANY: _____ CITY: _____ STATE: _____
ADDRESS: _____ OR: _____
ZIP CODE: _____ PHONE: _____

3. SCENE TYPE
PUBLIC ROAD PUBLIC STRUCTURE PUBLIC LAND FOREST OTHER (list)
PRIVATE ROAD PRIVATE STRUCTURE PRIVATE LAND WATERWAY
5. AREA TYPE:
INDUSTRIAL COMMERCIAL
RESIDENTIAL RURAL/AGRI
FOREST OTHER

WEATHER:
AIR RAIN FOG SNOW ICE OTHER FACTORS _____
WIND SPEED: NA DIRECTION: _____

4. AGENCIES RESPONDING: (show # of units)
FIRE 1 HAZMAT TEAM _____ POLICE _____ DEQ _____ PUBLIC WORKS 1 AMBULANCE _____
STATE AGENCY _____ FEDERAL AGENCY _____ RAILROAD _____ OTHER _____

5. ACTION TAKEN AT THE SCENE: (Check all that apply)
SECURE AREA HOT ZONE DETERMINED: ACTIVATE OARS IDENTIFY HAZ-MAT
ROWD CNTL. ON-SITE EMS TRAFFIC CNTL. EVACUATION
CONTAINMENT TRANSPORT PT. EXTINGUISHMENT DECONTAMINATE
CLEAN-UP PUB. INFO. REL. REMOVE HAZARD

6. SOURCE OF INCIDENT:
COMMERCIAL VEHICLE CAR TRAIN SHIP AIRCRAFT
DRUG LAB FIXED FACILITY PIPELINE OTHER (List) _____
7. MATERIAL INVOLVED FUEL CARGO PRODUCT WASTE MATERIAL

8. CAUSE OF INCIDENT:
DURING DELIVERY/SHIPMENT DURING STORAGE DURING MANUFACTURE ABANDONED/PARKED
NORMAL OPERATION EXCAVATION UNAUTHORIZED RELEASE IN TRANSIT
DURING FIRE/EXPLOSION CAR CONNECT DERAILMENT DOCKED
DURING REPAIR MATERIAL NOT RELEASED

9. HAZ-MAT BEHAVIOR ON RELEASE:
INERT/NO REACTION ENTERED WATERWAY BECAME AIRBORNE CONTAMINATED AREA
CAUSED FIRE CONTRIBUTED TO FIRE CAUSED EXPLOSION CONTRIBUTED TO EXPLOSION
OTHER: _____

10. CHEMICAL/TRADE NAME: Gasoline UN/NA#: 1203
CAS # 8066-61-9 SIZE OF CONTAINERS: 18-gallon (3.1)
NUMBER OF CONTAINERS: 1
AMOUNT AT RISK: _____ LBS. Unknown GALS. _____ CUBIC FEET
AMOUNT RELEASED: _____ LBS. Unknown GALS. _____ CUBIC FEET
PLEASE LIST REMAINING CHEMICALS INVOLVED ON REVERSE SIDE

11. MATERIAL IDENTITY:
METHOD ACCURATE METHOD ACCURATE
YES NO YES NO YES NO
SHIPPING PAPERS PLACARDS RESPONSIBLE PARTY
CHEM-TREC SFM HAZ-COMM TEXTBOOKS
ON-SCENE TESTS OFF-SCENE ANALYSIS OTHER (List) Visual

12. ESTIMATED PROPERTY LOSS:
VEHICLE & CARGO \$ -0- FIXED PROPERTY \$ -0- TOTAL ESTIMATED LOSS \$ -0-

13. CASUALTIES:
FIRE SERVICE not INJURIES not DEATHS not ON-SCENE DECON not TREATED ON-SCENE _____ HOSPITALIZED _____
CIVILIAN _____
OTHER PERSONNEL _____

14. PERSON MAKING REPORT: James W. Rank TITLE: Fire Marshal
AGENCY: Salem Fire Dept. AGENCY ID# 241321 PHONE: 588-6245

DESCRIBE THE CAUSE OF THE INCIDENT IN COMMENTS SECTION ON BACK OF FORM

Entered
10-22-91
[Signature]

DATE/TIME
INCIDENT SCENE
EMERG. ACTION
SOURCE
MATERIAL
CASUALTIES

3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
3. CHEMICAL/TRADE NAME: _____		UN/NA#: _____	
CAS# _____		_____	
NUMBER OF CONTAINERS: _____		SIZE OF CONTAINERS: _____	
AMOUNT AT RISK: _____ LBS.		GALS. _____ CUBIC FEET	
AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	
1. TOTAL AMOUNT RELEASED: _____ LBS.		GALS. _____ CUBIC FEET	

1. COMMENTS SECTION

Fire and Pollution Control units responded to parked vehicle leaking fuel. Unknown how much fuel spilled from over-filled & over-heated fuel tank.


Pollution Control utilized absorbent pads and Cold-Kleen 500. SFD flushed remainder into storm sewer.

MAY 1991

COMMENTS

APPENDIX C

WELL LOGS



MONITOR WELL NO. MW-1

WELL SCHEMATIC

Casing Elevation (ft.): 98.61
 Casing Stickup (ft.):

Vapor
 Conc. (ppm)
 Sheen


Blow-
 Count

Samples

Group
 Symbol

DESCRIPTION

Surface Elevation (ft.): 98.91



Note: See Figure C-2 for explanation of symbols

MONITOR WELL NO. MW-2

WELL SCHEMATIC

Casing Elevation (ft.): 99.24
 Casing Stickup (ft.):


Vapor
 Conc. (ppm)
 Sheen

Blow-
 Count

Samples

DESCRIPTION

Surface Elevation (ft.): 99.54



Note: See Figure C-2 for explanation of symbols



Log of Monitor Well

Figure C-4

: NU: SEW: CDO 2/20/91

0372-058-P04

MONITOR WELL NO. MW-3

WELL SCHEMATIC

Casing Elevation (ft.): 99.24
 Casing Stickup (ft.):


Vapor
 Conc.(ppm)
 Sheen

Blow-
 Count

Samples

DESCRIPTION

Surface Elevation (ft.): 99.54



Note: See Figure C-2 for explanation of symbols

MONITOR WELL NO. MW-4

WELL SCHEMATIC

Casing Elevation (ft.): 99.44
 Casing Stickup (ft.):


Vapor
 Conc. (ppm)
 Sheen

Blow-
 Count

Samples

DESCRIPTION

Surface Elevation (ft.): 99.74



Note: See Figure C-2 for explanation of symbols

: NU: SEM: CDO 2/20/91

0372-058-P04



Log of Monitor Well

Figure C-6

MONITOR WELL NO. MW-5

WELL SCHEMATIC

Casing Elevation (ft.): 98.60
 Casing Stickup (ft.):


Vapor
 Conc. (ppm)
 Sheen

Blow-
 Count
 Samples

Group
 Symbol

DESCRIPTION

Surface Elevation (ft.): 99.90



Note: See Figure C-2 for explanation of symbols

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

State Well No. 75/3w-28

State Permit No.

RECEIVED

OCT 22 1975

MI 31.12

ENGINEER, SALEM, OREGON 97101 within 30 days from the date of well completion.

(1) OWNER: WATER RESOURCES DEPT. Name Sanitary Services SALEM, OREGON Address 496 Perry SE Salem

(2) TYPE OF WORK (check): New Well [X] Deepening [] Reconditioning [] Abandon []

(3) TYPE OF WELL: Rotary [] Cable [X] Dug [] Driven [] Jetted [] Bored [] (4) PROPOSED USE (check): Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other [X] Observation

(5) CASING INSTALLED: 8" Diam. from 4 ft. to 31 ft. Gage 250 2" Diam. from 4 ft. to 35 ft. Gage

(6) PERFORATIONS: Type of perforator used Saw Perforated? [X] Yes [] No Size of perforations 3 in. by 1/8 in. 60 perforations from 30 ft. to 35 ft.

(7) SCREENS: Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION: Well seal-Material used cement grout Well sealed from land surface to 27 ft. Diameter of well bore to bottom of seal 8 in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal 0 sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [X] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [X] No Type of water depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [] No Size of gravel: PPS 9/16 Gravel placed from 30 ft. to 35 ft.

(10) LOCATION OF WELL: County Marion Driller's well number Well # 1 1/4 Section 28 T. 7S R. 3W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well. Depth at which water was first found 14 ft. Static level 10 ft. below land surface. Date Oct 9 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing Depth drilled 35 ft. Depth of completed well 35 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include sand silt, clay; clay gravel; loose sand gravel; clay gravel, sand, silt; gravel, small-med, coarse sand; Eugene (blue clay).

Work started 8 Oct 1975 Completed Oct 10 1975 Date well drilling machine moved off of well Oct 10 1975

Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date Oct 17, 1975 (Drilling Machine Operator) License No. 924

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. ROBINSON'S LOUJA WELL DRILLING Name 4513 DALLAS RD. N.W. SALEM, OREGON 97304 (Type or print) Address SALEM, OREGON 97304 [Signed] George H. Robinson (Water Well Contractor) Contractor's License No. 13 Date 11-20, 1975

The original and first copy of this report and all copies filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON (Please type or print)

8/14 12:1 PM State Well No. 75/3W-28

STATE ENGINEER, SALEM, OREGON 10/28/75

within 30 days from the date of well completion

WATER RESOURCES DEPT.

(Do not write above this line)

State Permit No.

SALEM, OREGON

(1) OWNER:

Name Sanitary Service Co Inc Address 496 Ferry St Salem Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [X] Irrigation [] Test Well [] Other [X]

(5) CASING INSTALLED:

10" Diam. from 0 ft. to 37 ft. Gage 1250 PVC 2 1/2" Diam. from 13 1/2 ft. to 26 ft. Gage PVC

(6) PERFORATIONS:

Type of perforator used Size of perforations 3 in. by 1/8 in. 25 perforations from 32 ft. to 35 ft. 29-30 perforations from 23 ft. to 26 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No Yield: gal./min. with ft. drawdown after hrs. Baller test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement grout Well sealed from land surface to 23 ft. Diameter of well bore to bottom of seal 8 1/2 in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal 0 Brand name of bentonite Number of pounds of bentonite per 100 gallons of water Is a drive shoe used? [X] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: 2 irregular Gravel placed from 23 ft. to 26 ft.

(10) LOCATION OF WELL:

County Marion Driller's well number Well # 3 1/4 Section 528 T. 75 R. 3W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 12 ft. Static level 10 ft. below land surface. Date Oct 14, 75 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Depth drilled 37 ft. Depth of completed well 37 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include clay, boulders clay, gravel small med sand, gray clay silt gravel, loose small gravel sand, Eugene (blue clay).

Monitoring Well

Work started Oct 14 1975 Completed Oct 15 1975 Date well drilling machine moved off of well Oct 15 1975

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date Oct 17, 1975 Drilling Machine Operator's License No. 324

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Address [Signed] George H. Robinson (Water Well Contractor) Contractor's License No. 13 Date 11-20, 1975

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)

RECEIVED
SEP 19 1974
STATE ENGINEER
SALEM, OREGON

State Well No. 753W-28aa
State Permit No. _____

8116
MARI...

(Do not write above this line)

(1) OWNER:
Name Boise Cascade
Address 315 Commercial St. S. E.
Salem, Oregon

(2) TYPE OF WORK (check): dual completion
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: Rotary Cable Driven Jetted Bored
(4) PROPOSED USE (check): Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:
10 " stainless 12 ft. to 4 ft. Gage 125
2 " Diam. from 1 ft. to 35 ft. Gage #40
2 " Diam. from 1 1/2 ft. to 26 ft. Gage #40

PERFORATIONS: Perforated? Yes No.
Type of perforator used hacksaw
Size of perforations 1/16 in. by 1 in.
96 perforations from 33 ft. to 35 ft.
96 perforations from 24 ft. to 26 ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Bailer test NO gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:
Well seal—Material used neat cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 14 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 37 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:
County Marion Driller's well number B0-3
NE 1/4 NE 1/4 Section 28 T. 7S R. 3W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well
Depth at which water was first found 18 ft. below land surface.
Static level 18 ft. below land surface, Date 8/24
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing 8
Depth drilled 43 ft. Depth of completed well 35 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
silt brown	0	5	
sand grown	5	17	
sand gravel gray	17	27	18
cemented sand gravel	27	31	
sand gravel	31	36	18
sand gravel clay	36	39	
clay gray	39	43	
construction on reverse side			

Work started 8/23 19 74 Completed 9/6 1974
Date well drilling machine moved off of well 9/6 1974

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Paul Bello Date 9/9, 1974
(Drilling Machine Operator) 877
Drilling Machine Operator's License No. _____

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Bello Well Drilling
(Person, firm or corporation) (Type or print)
Address 4783 Coloma Dr. S. E. Salem, Ore
[Signed] Paul Bello
(Water Well Contractor)
Contractor's License No. 579 Date 9/9, 1974

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

(Do not write above this line)

RECEIVED SEP 19 1974 STATE ENGINEER SALEM OREGON

Well No. 75/3W-28ad State Permit No. 3198

1) OWNER:

Name Boise Cascade
Address 315 Commercial St. SE
Salem, Oregon

2) TYPE OF WORK (check):

Dual Completion
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

3) TYPE OF WELL (4) PROPOSED USE (check):

Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored monitoring

CASING INSTALLED:
10" stainless steel Threaded Welded ft. to 4 ft. Gage 125
2" PUC + 1" ft. to 47 ft. Gage #40
1 1/2" ft. to 35 ft. Gage #40

PERFORATIONS: Perforated? Yes No.
Type of perforator used hacksaw
Size of perforations 1/16 in. by 1 in.
96 perforations from 45 ft. to 47 ft.
96 perforations from 33 ft. to 35 ft.

SCREENS: Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test NO gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:
Well seal—Material used neat cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 14 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 37 sacks
Number of sacks of bentonite used in well seal
Brand name of bentonite
Number of pounds of bentonite per 100 gallons water lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County Marion Driller's well number B-0-11032
SE 1/4 NE 1/4 Section 28 T. 75. R. 3. W. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed wells
Depth at which water was first found 18 ft.
Static level 16 ft. below land surface. Date 9/8/74
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 8
Depth drilled 52 ft. Depth of completed well 47 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
silt brown	0	6	
silty sand w/gravel			
blue clay	6	18	
sand gravel gray	18	22n	16
gravel 3" sand	22	31	
sand gravel tight	31	32	
sand gravel 2"	32	38	
cemented gravel	38	40	
sand gravel cobbles	40	42	16
sand gravel	42	47	
clay w/sand gravel	47	52	

Work started 9/6 19 Completed 9/15 1974
Date well drilling machine moved off of well 9/15 1974

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Paul Bells Date 9/18, 1974
(Drilling Machine Operator)
Drilling Machine Operator's License No. 877

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Bell Well Drilling (Type or print)
Address 478.3 Coloma Dr. S.E. Salem, Ore.
[Signed] Paul Bells (Water Well Contractor)
Contractor's License No. 579 Date 9/18, 1974

OCT 20 1989

6076
MARION
78/3W/2

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.785)

WATER RESOURCES DEPT.
SALEM, OREGON

(START CARD) #

(1) OWNER: Well Number: _____
Name STATE OF OREGON
Address _____
City SALEM State OREG. Zip _____

(2) TYPE OF WORK:
 New Well Deepen Recondition Abandon

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable
 Other

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Other DE-WATERING

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No Depth of Completed Well 60 ft.
Explosives used Yes No Type _____ Amount _____

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
12	0	30	CEM BUT	0	18	12
8	30	60				

How was seal placed: Method A B C D E
 Other _____
Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from 18 ft. to 30 ft. Size of gravel 3/4"

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: <u>8</u>	<u>1</u>	<u>60</u>	<u>250</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
 Perforations Method MILLS KNIFE
 Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
<u>25</u>	<u>60</u>	<u>2 1/8"</u>	<u>200</u>			<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min 45 Drawdown 15 Drill stem at _____ Time 1 hr.

Temperature of water _____ Depth Artesian Flow Found _____
Was a water analysis done? Yes By whom _____
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other _____
Depth of strata: _____

(9) LOCATION OF WELL by legal description:
County MARION Latitude _____ Longitude _____
Township 3W N or S, Range 7S E or W, WM. _____
Section 27 1/4 _____ 1/4 _____
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) CHEMEKETA + SUMMER, SALEM OREG

(10) STATIC WATER LEVEL:
20 ft. below land surface. Date 10/16/89
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:
Depth at which water was first found 20

From	To	Estimated Flow Rate	SW
<u>20</u>	<u>60</u>	<u>45 GPM</u>	<u>20</u>

(12) WELL LOG: Ground elevation _____

Material	From	To	SW
TOP SOIL	0	1	
SANDY BROWN CLAY	1	10	
CEMENTED GRAVEL	10	30	20
LOOSE GRAVEL	30	39	20
CEMENTED GRAVEL	39	56	20
LOOSE GRAVEL	56	60	

Date started 10/19/89 Completed 10/16/89

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my knowledge and belief.
Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above work performed during this time is in compliance with Oregon construction standards. This report is true to the best of my knowledge and belief.
Signed OK Kel WWC Number 462
Date 10/19/89

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

8100 WATER WELL REPORT
M121...

STATE OF OREGON
(Please type or print)

(Do not write above this line)

State Well No. 75300-2760
State Permit No.

(1) OWNER:

Name LEONARD RYAN
Address 745 COMMERCIAL S.E.
SALEM, OREGON

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 60 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used MILLS KNIFE
Size of perforations 1/4 in. by 2 in.
20 perforations from 30 ft. to 50 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level
a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Bailey test 1/2 gal./min. with 1/4 ft. drawdown after 1 hrs.
Artesian flow g.p.m.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 16 sacks
How was cement grout placed? Pressure Grouted
from bottom of well seal.
as a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County MARION Driller's well number 4380
SE 1/4 NW 1/4 Section 27 T. 7S R. 3W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 55 ft.
Static level 36 ft. below land surface. Date 9-5-80
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Six
Depth drilled 60 ft. Depth of completed well 60 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>PILL BASALT, CLAY</u>	<u>0</u>	<u>9</u>	
<u>CLAY, brown</u>	<u>9</u>	<u>55</u>	
<u>CLAY, blue</u>	<u>55</u>	<u>60</u>	

WATER STRATA NOT KNOWN

RECEIVED

OCT 15 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started Sept 4 1980 Completed Sept 5 1980
Date well drilling machine moved off of well Sept 5 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.
[Signed] Ferry N. Muntzler Date 9-18, 1980
(Drilling Machine Operator)
Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge, and belief.
Name M-H well Drilling Inc
(Person, firm or corporation) (Type or print)
Address 4051 N.E. Holly Ave. S. ALOR
[Signed] Ferry N. Muntzler
(Water Well Contractor)
Contractor's License No. 237 Date Sept 18, 1980

STATE ENGINEER
Salem, Oregon

MAR 21 8104

Well Record

STATE WELL NO. 7/3W-27
COUNTY MARION
APPLICATION NO. _____

OWNER: STATE BLIND SCHOOL


MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. _____

CITY AND STATE: SALEM, ORE

1/4 1/4 Sec. 27 T. 7 ^{N.} S., R. 3 ^{E.} W., W.M.

Bearing and distance from section or subdivision corner _____



Section 27

Altitude at well _____

TYPE OF WELL: _____ Date Constructed _____

Depth drilled 300' Depth cased _____

CASING RECORD:

FINISH:

AQUIFERS:

WATER LEVEL: 5.1' below top of casing 9/22/88
top of casing is 0.75' above LSD at floor
- Donn Miller, OWRD

PUMPING EQUIPMENT: Type _____ H.P. _____
Capacity 35 G.P.M.

WELL TESTS:
Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER _____ Temp. 55 °F., 19 _____

SOURCE OF INFORMATION _____

DRILLER or DIGGER _____

ADDITIONAL DATA:
Log _____ Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS: Well located in storeroom.
well depth is 249' on 9/22/88

ORIGINAL
 To be Original and
 duplicate with the
 STATE ENGINEER,
 SALEM, OREGON

(1) OWNER: SALEM, OREGON
Dept. Of Finance & Administration
State Capitol Building
Salem, Oregon

(2) LOCATION OF WELL:
 County Marion Owner's number, if any--
NE 1/4 NE 1/4 Section 27 T. 7 S R. 3 W W.M.
 Bearing and distance from section or subdivision corner
Well located 83 ft. South and 41 ft.
West of the N.E. corner

TYPE OF WORK (check):
 Well Deepening Reconditioning Abandon
 Abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):
 Domestic Industrial Municipal
 Irrigation Test Well Recondition

(5) TYPE OF WELL:
 Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED: Threaded Welded
14" Diam. from surface ft. to 172 ft. Gage 3/8
 " Diam. from ft. to ft. Gage
 " Diam. from ft. to ft. Gage

(7) PERFORATIONS: Perforated? Yes No
 Type of perforator used Star
 SIZE of perforations 3/8 in. by 1 1/4 in.
36/ft perforations from 30 ft. to 104 ft.
36/ft perforations from 130 ft. to 145 ft.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(8) SCREENS: Well screen installed Yes No
 Manufacturer's Name
 Model No.
 Slot size Set from ft. to ft.
 Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:
 Well gravel packed? Yes No Size of gravel:
 Gravel placed from ft. to ft.
 Was a surface seal provided? Yes No To what depth? ft.
 Material used in seal--
 Did any strata contain unusable water? Yes No
 Type of water? Depth of strata
 Method of sealing strata off

(10) WATER LEVELS:
 Static level 20 ft. below land surface Date Aug. 1959
 Artesian pressure lbs. per square inch Date

STATE OF OREGON
 Accepted by: Dept. of Finance and Administration
 Signed: Paul C. ... Date Aug. 25, 1959
 Administrator, Services Division

(11) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Yield: 322 gal./min. with 90 ft. drawdown after 12 hrs.
 " 280 " " 50 " " "
 " 245 " " 45 " " "
 Bailor test gal./min. with ft. drawdown after hrs.
 Artesian flow g.p.m. Date
 Temperature of water 59.0 Was a chemical analysis made? Yes No

(12) WELL LOG: Diameter of well 14 inches.
 Depth drilled 220 ft. Depth of completed well 220 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	9
Large gravel & boulders	9	27
Sand and gravel (water)	27	84
Gravel with clay binder	84	93
Sand and gravel (water)	93	104
Red Clay	104	106
Rock layer	106	107
Conglomerate	107	130
Large gravel with clay binder	130	153
Conglomerate	153	172
Gray basalt	172	220

Work started July 12 19 59 Completed August 19 19 59

(13) PUMP:
 Manufacturer's Name
 Type: H.P.

Well Driller's Statement:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. J. STRASSER DRILLING CO.
 (Person, firm, or corporation) (Type or print)
 Address 8110 S. E. Sunset Lane, Portland 6, Ore.
 Driller's well number 4011

[Signed] Robert L. Strasser
 (Well Driller)
 License No. 10 Date August 20 19 59

WATER WELL REPORT
STATE OF OREGON

RECEIVED

State Well No. 75/3W-27

8/110
MAR 21

FEB 22 1984
PLEASE TYPE or PRINT IN INK
WATER RESOURCES DEPT.

State Permit No. _____

(1) OWNER:

Name CITY OF SALEM
Address Civic Center
City Salem State Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Mud Dug
Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal: Withdrawal ReInjection

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded
10" Diam. from 0 ft. to 48 ft. Gauge .250
" Diam. from _____ ft. to _____ ft. Gauge _____

LINER INSTALLED:

" Diam. from _____ ft. to _____ ft. Gauge _____

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

As a pump test made? Yes No If yes, by whom?
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" Air Test May Fluctuate"
Air test 10 gal./min. with drill stem at 250 ft. 1 hrs.
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used Cement
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal 14 in.
Diameter of well bore below seal 8 3/4 in.
Number of sacks of cement used in well seal 33 sacks
How was cement grout placed? Air Grout Pump

Was pump installed? NO Type _____ HP _____ Depth _____ ft.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of Water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Marion Driller's well number _____
1/4 _____ 1/4 Section 27 T. 7S R. 3W W.M. _____
Tax Lot # _____ Lot _____ Blk _____ Subdivision _____
Address at well location: Civic Center
Salem, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found 70 ft.
Static level 30 ft. below land surface. Date 1-17-84
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 8 3/4

Depth drilled 255 ft. Depth of completed well 0 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Dark Brown Clay	0	2	
Decomposed Rock	2	4	
Large Cobbles	4	7	
Brown Clay	7	14	
Decomposed Rock	14	19	
Large Boulders	19	28	
Weathered Basalt	28	36	
Multi-Colored Broken,			
Weathered Basalt	36	70	
Gray Sandy Clay	70	77	
Gray Sticky Clay	77	93	
Blue Gray Claystone	93	128	
Dark Gray Claystone	128	219	
Gray Sandy Claystone	219	255	0

Adequate Water Supply Was
Not Encountered. Well Abandoned
According To Rules, And
Regulations Sub. 3, Abandonment
Of Wells 63-010.

2 3/4 Yards Cement Used.
Work started 1-10 1984 Completed 1-16 1984
Date well drilling machine moved off of well 1-19 1984

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
(Signed) _____ Date _____, 19____

Bonded Water Well Constructor Certification:

Bond _____ Issued by: _____ Surety Company Name _____
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name MONDERS DRILLING INC. (Type or print)
Address P.O. Box 15087 Salem, Oregon 97309
(Signed) J.D. Monders Water Well Constructor
Date 1-19 1984

WATER WELL REPORT
STATE OF OREGON

MIR... 809/

RECEIVED

State Well No. 75/310-26

NOV 19 1981

State Permit No.

WATER RESOURCES DEPT
SALEM, OREGON

1) OWNER:

Name Department of General Services
Address 1225 S. E. Ferry St.
City Salem State OR

2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
(abandonment, describe material and procedure in Item 12.

3) TYPE OF WELL:

Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Test Well Other
 Bored Thermal: Withdrawal ReInjection

(4) PROPOSED USE (check):

(5) CASING INSTALLED: Steel Plastic
8 "Diam. from +1 ft. to 80 ft. Gauge .250
8 "Diam. from 80 ft. to 101 ft. Gauge .322

6) LINER INSTALLED:

"Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No
Type of perforator used Mills Knife
Size of perforations 3/8 in. by 2 in.
400 perforations from 40 ft. to 65 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Driller
see attached sheet
Air test gal./min. with drill stem at ft. hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No
Well seal—Material used Cement grout
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 12 3/4 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 20 sacks
How was cement grout placed? pumped
Was pump installed? No Type HP Depth ft.
drive shoe used? Yes No Plugs Size: location ft.
any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel: ft.
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Marion Driller's well number 775
1/4 Section 26 T. 7S R. 3W W.M.
Tax Lot # Lot Blk Subdivision
Address at well location: Court & Waverly - Salem, OR

(11) WATER LEVEL: Completed well.

Depth at which water was first found 19 ft.
Static level 18 "4" ft. below land surface. Date 11-12-81
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing XX 8"
Depth drilled 145 ft. Depth of completed well 114 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	1	
Brown clay	1	12	
Fine coarse gravel with medium brown sand	12	35	
Brown coarse gravel with large boulders	35	40	
Fine to coarse gravel with coarse sand-clean & water bearing	40	66	
Conglomerate with thin layers of sort basalt	66	98	
Blue claystone	98	145	

Work started 10-21-81 19 Completed 11-13 1981
Date well drilling machine moved off of well 11-13 19 81

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Mike B. [Signature] Date 11-17-81
Drilling Machine Operator's License No. 1273

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Blue Water Drilling Co.
Address Rt. 1, Box 75 Dayton, Oregon 97114
[Signed] Robert [Signature] (Water Well Contractor)
Contractor's License No. 417 Date 11-17 19 81

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

RECEIVED

WATER WELL REPORT

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)

AUG 27 1979

(Do not write above this line)

8092 State Well No. 7s13w-26
M121... State Permit No.

WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER: SALEM, OREGON
Name United Methodist Home
Address 1625 Center Street N.E.
Salem, Oregon 97301

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

(5) CASING INSTALLED: Threaded Welded
6" Diam. from top ft. to 100 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS: Perforated? Yes No.
Type of perforator used Mills Knife
Number of perforations 1/2 in. by 1 1/2 in.
136 perforations from 85 ft. to 99 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Airstest 200+ GPM for a period of 1 hour
Per test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:
Seal—Material used Portland Cement
Well sealed from land surface to 19 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 6 sacks
How was cement grout placed? pumped in thru conductor pipe
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County Marion Driller's well number 2251
1/4 Section 26 T. 7S. 3W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found 34 ft.
Static level 20 ft. below land surface. Date 8/15/79
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing
Depth drilled 100 ft. Depth of completed well 100 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Topsoil	0	2	
Brown Clay	2	19	
Tightly Cemented Brown Sand and Gravel	19	34	
Cemented Brown Sand and Gravel	34	58	
Brown Sand and Gravel	58	64	
Cemented Brown Sand and Gravel	64	74	
Brown Clay	74	82	
Cemented Brown Sand and Gravel	82	85	
Loosed Brown Sand and Gravel	85	100	

Work started 8/15/79 19 Completed 8/15/79 19
Date well drilling machine moved off of well 8/15/79 19

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Dallas L. Beas Date 8/15/79, 19
(Drilling Machine Operator)
Drilling Machine Operator's License No. 752

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Willamette Drilling Co. (Type or print)
(Person, firm or corporation)
Address 7365 O Neil Rd. NE Salem, Oregon 97203
[Signed] Dallas L. Beas (Water Well Contractor)
Contractor's License No. 561 Date 8/15/79, 19

STATE ENGINEER
Salem, Oregon

M 21... 2094


Well Record

STATE WELL NO. 7/3W-26C
COUNTY Marion
APPLICATION NO. GR-4055

OWNER: Frank N. Waters
dba City Ice Works
LOCATION OF WELL: Owner's No.

MAILING ADDRESS: 1551 Center St.
CITY AND STATE: Salem, Oregon

NE 1/4 NW 1/4 Sec. 26 T. 7 S, R. 3 W., W.M.
Bearing and distance from section or subdivision
corner 180' S. 595' W. from N 1/4 Cor. Sec. 26



Section 26

Altitude at well

TYPE OF WELL: Drilled Date Constructed 1926

Depth drilled 125 ft. Depth cased 125 ft.

CASING RECORD:

8 inch casing set to 125 ft.

FINISH:

Not perforated or screens

AQUIFERS:

WATER LEVEL:

12 feet below surface

PUMPING EQUIPMENT: Type Sterling 5 stage turbine H.P. 10
Capacity 150 G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Industrial cooling Temp. °F., 19
SOURCE OF INFORMATION Well Registration Statement Cert. # GR-3655

DRILLER or DIGGER

ADDITIONAL DATA:
Log X Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

Log: Blue clay at 60 ft. about 4 ft. thick.

STATE ENGINEER
Salem, Oregon

ML 21... 2096 Well Record

STATE WELL NO. 7/3W-26M(1)
COUNTY Marion
APPLICATION NO. GR-453

OWNER: California Packing Corp.


MAILING ADDRESS: 215 Fremont Street

LOCATION OF WELL: Owner's No.

CITY AND STATE: San Francisco, California

NW 1/4 SW 1/4 Sec. 26 T. 7 N. S, R. 3 E. W., W.M.

Bearing and distance from section or subdivision corner 1840 feet North and 325 feet East from the SW corner, Section 26



Section 26

Altitude at well 158.56 feet

TYPE OF WELL: Drilled Date Constructed July 15, 1947

Depth drilled 204 252 Depth cased 194

CASING RECORD:
12-inch

FINISH:

AQUIFERS:

WATER LEVEL:

30 feet

PUMPING EQUIPMENT: Type Peerless H.P. 60
Capacity 600 G.P.M.

WELL TESTS:

Drawdown 80 ft. after 600 hours G.P.M.
Drawdown 84 ft. after 566 hours G.P.M.

USE OF WATER Manufacturing Temp. °F. 19

SOURCE OF INFORMATION GR-438

DRILLER or DIGGER Southern Pacific Co., Salem, Oregon

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

RECEIVED

OCT 20 1977

State Well No. 78/3W-2

State Permit No. _____

WATER RESOURCES DEPT.
SALEM, OREGON

OWNER:

Name Bob Hammer
Address 652 Holoyback Place N
Salem Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

6" Diam. from 0 x 1 ft. to 6 1/2 ft. Gage 1.256
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations in. by in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Art Water test 10 gal./min. with 120 ft. drawdown after 1 hrs.
Artesian flow g.p.m. _____

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 6 1/2 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 15 sacks
How was cement grout placed? Mixed & Pumped

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Marion Driller's well number _____
_____ 1/4 _____ 1/4 Section 23 T. 73 R. 36 W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 34 ft.
Static level 79 ft. below land surface. Date 10-10-77
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 202 ft. Depth of completed well 202 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>Soil</u>	<u>0</u>	<u>1</u>	
<u>CLAY Red</u>	<u>1</u>	<u>14</u>	
<u>Weathered out Rock</u>	<u>14</u>	<u>48</u>	
<u>CLAY Red</u>	<u>48</u>	<u>54</u>	
<u>weathered out Rock</u>	<u>54</u>	<u>59</u>	
<u>BASALT</u>	<u>59</u>	<u>202</u>	

Work started 10-6-77 Completed 10-10-77

Date well drilling machine moved off of well 10-10-77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert H. Bennett Date 10-17-77, 1977
(Drilling Machine Operator)

Drilling Machine Operator's License No. 789

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name _____ EOLA WELL DRILLING
(Person, firm or corporation) 4510 DALLAS RD. N.W.
Address _____ SALEM, OR. 97304

[Signed] Robert H. Bennett
(Water Well Contractor)

Contractor's License No. 619 Date 10-17-77, 1977

Well Record

STATE WELL NO. 7/3W-
COUNTY MARION
APPLICATION NO. _____

OWNER: SALEM LINEN MILL

MAILING ADDRESS: _____


LOCATION OF WELL: Owner's No. _____

CITY AND STATE: _____

1/4 1/4 Sec. 23 T. 7 N. S., R. 3 E. W., W.M.

Bearing and distance from section or subdivision corner _____

SALEM, ORE.



Section _____

Altitude at well _____

TYPE OF WELL: _____ Date Constructed _____

Depth drilled 192' Depth cased _____

CASING RECORD: _____

FINISH: _____

AQUIFERS: _____

WATER LEVEL: _____

PUMPING EQUIPMENT: Type _____ Capacity _____ G.P.M. _____ H.P. _____

WELL TESTS: Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER _____ SOURCE OF INFORMATION _____ Temp. 56 °F. _____, 19____
DRILLER or DIGGER _____

ADDITIONAL DATA: Log _____ Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS: _____

STATE ENGINEER
Salem, Oregon

State Well No. 7/3W-23B

County Marion

Application No.

Chemical Analysis

OWNER Oregon Linen Mills, Inc. OWNER'S NO.

ANALYST Margaret D. Foster Address

Date of Collection October 13, 1928

Point of Collection

	P.P.M.	E.P.M.
Silica (SiO ₂)	46	
Iron (Fe) Total	.02	
Manganese (Mn)		
Calcium (Ca)	17	
Magnesium (Mg)	12	
Sodium (Na)	8.7	
Potassium (K)	1.2	
Bicarbonate (HCO ₃)	130	
Carbonate (CO ₃)		
Sulfate (SO ₄)	3.5	
Chloride (Cl)	3.0	
Fluoride (F)		
Nitrate (NO ₃)	.0	
Boron (B)		
Dissolved Solids	140	
Hardness as CaCO ₃	92	
Specific Conductance (Micromhos at 25°C)		
pH		
Percent Sodium	18.2	
Sodium Absorption Ratio (S.A.R.)		
CLASS		

STATE ENGINEER
Salem, Oregon

MA 2017

Well Record

STATE WELL NO. 7/3W-23D
COUNTY Marion
APPLICATION NO. GR-943

OWNER: Curley's Dairy Inc.


MAILING ADDRESS: 1410 Fairgrounds Road

LOCATION OF WELL: Owner's No. #2

CITY AND STATE: Salem

NW 1/4 NW 1/4 Sec. 23 T. 7 N. S. R. 3 W., W.M.

Bearing and distance from section or subdivision corner 550 feet East and 1250 feet South from NW corner, Section 23



Altitude at well 184 feet

TYPE OF WELL: Drilled Date Constructed Sept. 1941

Depth drilled 112 feet Depth cased 112 feet

Section 23

CASING RECORD:

8-inch steel 0 to 112 feet

FINISH:

30 foot slot perforations 82 to 112 feet

AQUIFERS:

WATER LEVEL:

14 feet

PUMPING EQUIPMENT: Type Fairbanks Morse Jet H.P. 5 Elec. 3 Phase

Capacity 45 G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Industrial * Temp. °F., 19

SOURCE OF INFORMATION GR-916

DRILLER or DIGGER Weaver (retired) Brooks, Oregon

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

* cooling milk and refrigeration

Topsoil }
Sand and Gravel } no strata indicated

Water at 40 feet cased off

STATE ENGINEER
Salem, Oregon

MA 21... 2012

Well Record

STATE WELL NO. 7/3W-23D
COUNTY Marion
APPLICATION NO. GR-944

OWNER: Curly's Dairy Inc.


MAILING ADDRESS: 1410 Fairgrounds Road

LOCATION OF WELL: Owner's No. #1

CITY AND STATE: Salem

NW 1/4 NW 1/4 Sec. 23 T. 7 S. R. 3 W., W.M.

Bearing and distance from section or subdivision corner
650 feet East and 1250 feet South
from NW corner, Section 23



Altitude at well 184 feet

TYPE OF WELL: Drilled Date Constructed July 1928

Depth drilled 86 feet Depth cased 86 feet

Section 23

CASING RECORD:

10" steel casing set from 0 to 86 feet

FINISH:

AQUIFERS:

WATER LEVEL:

14 feet

PUMPING EQUIPMENT: Type Fairbanks Morse Jet H.P. 3 Elec. 3 Phase
Capacity 27 G.P.M.

WELL TESTS:

Drawdown ft. after hours 27 G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Ind. cooling milk Temp. °F. 19

SOURCE OF INFORMATION GR-917
DRILLER or DIGGER Harvey Evans

ADDITIONAL DATA:

Log na Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECEIVED
NOV 19 1962
STATE ENGINEER
SALEM, OREGON

MARION

STATE OF OREGON
 (Please type or print)

8019

7/3W-23L

State Well No. _____

State Permit No. _____

(1) OWNER:

Name THOMAS W. KELLY
 Address 4193 PENNY DR. S.
SALEM, OREGON

(2) LOCATION OF WELL:

County MARION Driller's well number _____
NE 1/4 SW 1/4 Section 23 T. 7 S R. 3 W W.M.
 Bearing and distance from section or subdivision corner
2375' N and 350' E of SW Cor. Sec 23
7500 Conifer St. NE, Salem, Ore

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 68 ft. Gage .250
 " Diam. from _____ ft. to _____ ft. Gage _____
 " Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS:

Perforated? Yes No

Type of perforator used _____
 Size of perforations in. by in.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(8) SCREENS:

Well screen installed Yes No

Manufacturer's Name _____
 Type _____ Model No. _____
 _____ in. Slot size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite
 Depth of seal 38 ft. Was a packer used? NO
 Diameter of well bore to bottom of seal 10 in.
 Were any loose strata cemented off? Yes No Depth _____
 Was a drive shoe used? Yes No
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

(10) WATER LEVELS:

Static level 39 ft. below land surface Date 11/15/62
 Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
 Yield: gal./min. with ft. drawdown after hrs.
 " " " " "
 " " " " "
 " " " " "
 Baller test 25 gal./min. with 9 ft. drawdown after 1 hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water 58 Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 6"
 Depth drilled 72 ft. Depth of completed well 68 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Clay-gray , silty, tan	0	17
Clay-silty, gray	17	38
Gravel & sand-gray clay	38	66
Gravel-medium, sand-coarse	66	72

Aquifer---66/72

Drilled and sealed to Ore.
Standards 70-002 through
70-012

Work started 11/6 1962. Completed 11/12 1962
 Date well drilling machine moved off of well 11/14 1962

(13) PUMP: Not installed

Manufacturer's Name _____
 Type: _____ H.P. _____

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME DUFFIELD BROS.
 (Person, firm or corporation) (Type or print)
 Address 4123 BLUFF AVE SE, SALEM, OREGON

Drilling Machine Operator's License No. 46

[Signed] A. H. Duffield
 (Water Well Contractor)

Contractor's License No. 15 Date 11/15 1962

STATE ENGINEER
Salem, Oregon

OBSERVATION WELL
Well Record

STATE WELL NO. 7/3W-23N(1)
COUNTY Marion
APPLICATION NO. GR-2497

MAR 21 1950

GR-2364

OWNER: Pacific Mutual Life Ins. Co.


MAILING ADDRESS: P. O. Box 6050

LOCATION OF WELL: Owner's No. #2

CITY AND STATE: Metropolitan Station
Los Angeles 55, California

SW 1/4 SW 1/4 Sec. 23 T. 7 S. R. 3 W. W.M.

Bearing and distance from section or subdivision
corner 1020' E. & 100' N. from SW cor. Sec. 23



Altitude at well 158'

TYPE OF WELL: Drilled Date Constructed 1948

Depth drilled 216' Depth cased 162'

Section 23

CASING RECORD:
16" O.D.

FINISH:

Perforated from 63 to 67 ft. 135 to 147 ft.
83 to 90 ft.
120 to 124 ft.

AQUIFERS:

Sand & gravel

WATER LEVEL:

20 ft.

PUMPING EQUIPMENT: Type Layne & Bowler 8 stage 10" H.P. 50
Capacity 600 G.P.M.

WELL TESTS: 101 635
Drawdown 87 ft. after hours 550 G.P.M.
Drawdown 77 ft. after hours 500 G.P.M.
70 400

USE OF WATER 67 Industrial Temp. 55 °F. 300, 19

SOURCE OF INFORMATION GR Record

DRILLER or DIGGER R. J. Strasser

ADDITIONAL DATA:

Log X Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

Well located in Kress bldg. of the Capitol Shopping Center at Salem.

STATE ENGINEER
Salem, Oregon

State Well No. 7/3W-23N(1)
County Marion
Application No. GR-2497

Well Log

Owner: Pacific Mutual Life Ins. Co. Owner's No. #2

Driller: R. J. Strasser Date Drilled 1948

CHARACTER OF MATERIAL	(Feet below '2nd surface)		Thickness (feet)
	From	To	
Clay	0	9	9
Loose gravel	9	15	6
Loose gravel & boulders (some surface H2O)	15	26	11
Cemented gravel & boulders	26	33	7
Loose sand & gravel (some water)	33	39	6
Cemented gravel	39	42	3
Loose sand & gravel - clay binder	42	58	16
Cemented gravel	58	63	5
Loose sand & gravel - clay binder (water)	63	67	4
Sand & gravel - clay binder	67	71	4
Loose gravel & sand	71	84	13
Loose sand & gravel (water bearing)	84	90	6
Sand with clay binder	90	94	4
Gravel & sand - clay binder	94	114	20
Cemented gravel	114	118	4
Sand & gravel - light clay binder (water)	118	124	6
Gravel & sand - clay binder	124	133	9
Loose gravel & sand (water bearing)	133	143	10
Gravel & sand - heavy clay binder	143	148	5
Sticky yellow clay	148	162	14
Rock ledge	162	166	4
Red clay - scattered rock	166	172	6
Dark brown clay	172	179	7
Sticky red clay - scattered rock	179	184	5
Brown clay	184	191	7

STATE ENGINEER
Salem, Oregon

MI 31, 2021

~~RESTRICTED~~

Well Record

GR- 2363

STATE WELL NO. 7/3W-23N
COUNTY Marion
APPLICATION NO. GR- 2496

OWNER: Pacific Mutual Life Ins. Co.


MAILING ADDRESS: P. O. Box 6050

LOCATION OF WELL: Owner's No. #1

CITY AND STATE: Metropolitan Station
Los Angeles 55, California

SW 1/4 SW 1/4 Sec. 23 T. 7 N. S. R. 3 W., W.M.

Bearing and distance from section or subdivision
corner 1200' E. & 360' N. from SW cor. Sec. 23.



Section 23

Altitude at well 158'

TYPE OF WELL: Drilled Date Constructed 1949

Depth drilled 197' Depth cased 140'

CASING RECORD:

20" O.D.

FINISH:

Perforated from 33 to 38 ft.	72 to 79½ ft.	125 to 129 ft.
55 to 59½ ft.	81 to 85 ft.	131 to 135 ft.
60½ to 64 ft.	113 to 119½ ft.	

AQUIFERS:

Sand & gravel

WATER LEVEL:

17'

PUMPING EQUIPMENT: Type Layne & Bowler 8 stage 10" H.P. 50

Capacity 600 G.P.M.

WELL TESTS:

Drawdown 113'	ft. after 92	hours 520	G.P.M. 450
Drawdown 81	ft. after 61	hours 400	G.P.M. 300

USE OF WATER Industrial Temp. °F. 19

SOURCE OF INFORMATION GR Record

DRILLER or DIGGER R. J. Strasser

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

Well located in Sears bldg. in Capitol Shopping Center at Salem.

WATER WELL REPORT
STATE OF OREGON

RECEIVED 4 wells
MAY 4 1984 State Well No. 75/3W-2200

PLEASE TYPE or WATER RESOURCES DEPT Permit No. SALEM, OREGON manon G.

(1) OWNER:
Name Pemco
Address P.O. Box 11569
City Portland State Oregon

(2) TYPE OF WORK (check): Monitoring holes
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Test Well Other
 Bored Thermal Withdrawal ReInjection

(5) CASING INSTALLED: See Attached
Steel Threaded Plastic Welded
" Diam. from ft. to ft. Gauge
" Diam. from ft. to ft. Gauge

(6) LINER INSTALLED:
" Diam. from ft. to ft. Gauge

(7) PERFORATIONS: Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(8) SCREENS: Well screen installed? Yes No
Manufacturer's Name Model No.
Type Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
a pump test made? Yes No. If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Air test gal./min. with drill stem at ft. hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Depth of artesian flow encountered ft.
Temperature of water

(10) CONSTRUCTION: Special standards: Yes No
Well seal—Material used Cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?
Was pump installed? Type HP Depth ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County W. E. 1/2 Section 22 T. 75 R. 3W W.M.
Tax Lot # Lot Blk Subdivision
Address at well location: Site: Marion Salem Oregon Union Station

(11) WATER LEVEL: Completed well.
Depth at which water was first found ft.
Static level ft. below land surface. Date
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing
Depth drilled ft. Depth of completed well ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil & brown clay	0	7	
Gravel & clay	7	12	
Gravel sand little clay loose	12	18	
Gravel & sand semi cemented	18	30	
Gravel sand water	30	37	

All 4 sites were within 60ft. of each other, formation was same.

See Attached
4-23-84 April 23 84

Work started April 30 1984 Completed April 30 1984
Date well drilling machine moved off of well April 23 / 30 1984

(unbonded) Water Well Constructor Certification (if applicable):
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
(Signed) Date 19.....

Bonded Water Well Constructor Certification:
Bond 841 Issued by: U.S.F. & G
63-0130-11384-82-1 Surety Company Name
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Hansen Drilling Co. Inc.
Address 6711 NE. 58th Ave. Vancouver, Wa. 98661
(Signed) Jan Hansen Date May 2 1984
Water Well Constructor

75/3W-22
RECEIVED

MAY 4 1984

WATER RESOURCES DE
SALEM, OREGON

Hansen Drilling Co., Inc.

6711 N.E. 58th Avenue
Vancouver, Washington 98661
Phone 694-6242


May 2, 1984

Attachment
Pemco
P.O. Box 11569
Portland, Oregon

TO-WHOM-IT-MAY-CONCERN

First 2 holes were drilled to 37ft, 4" PVC installed, bottom 10ft. perforated then cemented from 18ft. up. The static water level in these was about 18ft.

The second holes were drilled between the first holes. Pemco needed these perforated, from 37ft to ^{above} the static level in order to get any gas that might be on top of the water and obtain the direction of flow. These 2 holes were drilled to 37ft, 4" PVC installed with perforations from 10ft. to 37ft, then cemented from 10ft. up.


Jim J. Hansen Lic. # 841

Bond # 63-0130-11384-82-1
United State Fidelity &
Guaranty Co.

Work April 23, 1984
April 30, 1984

1 TEST HOLE

MAR 1963 0008

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

FEB 1963 WATER WELL REPORT

STATE OF OREGON (Please type or print)

State Well No. 7/3W-22

State Permit No.

(1) OWNER:

Name SHANNON + WILSON
Address 1617 S.W. MORRISON PORTLAND ORE.

(2) LOCATION OF WELL:

County MARION Driller's well number
Bearing and distance from section or subdivision corner
N.W. CORNER OF INTERSECTION OF CHEMOKETA AND CHURCH ST SALEM ORE FOR COMMERCIAL BANK

(3) TYPE OF WORK (check):

New Well X Deepening Reconditioning Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal Rotary Driven Cable Jettied Dug Other X

(5) TYPE OF WELL:

Rotary Driven Cable Jettied Dug Bored

(6) CASING INSTALLED:

Threaded Welded
Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed Yes No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

BENTONITE + DRILL CUTTINGS
Well seal-Material used in seal
Depth of seal 40' ft. Was a packer used?
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? Yes No
Type of water? SURFACE Depth of strata 18' TO 20'
Method of sealing strata off

(10) WATER LEVELS:

Static level ft. below land surface Date
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing
Depth drilled 40' ft. Depth of completed well 40' ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows: TOPFILL-GRAVEL 3"-0 1, CLAY YELLOW COLOR-1 6, CONGLOMERATE-COARSE-6 14, GRAVEL & SAND, 50% CLAY-14 23, COBBLESTONES-23 40

DRILLED TO CHECK PENETRATION TEST-

Work started 2-9-1963 Completed 2-9-1963
Date well drilling machine moved off of well 2-9-1963

(13) PUMP:

Manufacturer's Name NONE
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME J.A. SNEED & SONS (Person, firm or corporation) (Type or print)
Address 3910 SILCOVERTON RD. SALEM
Drilling Machine Operator's License No. 187
[Signed] J.A. Sneed (Water Well Contractor)
Contractor's License No. 6 Date 2-9-1963

STATE ENGINEER
Salem, Oregon

MI 21.6011

Well Record

STATE WELL NO. 7/3W-22
COUNTY Marion
APPLICATION NO.

OWNER: REID-MURDOCK

MAILING ADDRESS:


LOCATION OF WELL: Owner's No.

CITY AND STATE:

SALEM, ORE.

1/4 1/4 Sec. 22 T. 7 N. S., R. 3 E. W., W.M.

Bearing and distance from section or subdivision corner



Section 22

Altitude at well

TYPE OF WELL: Date Constructed

Depth drilled Depth cased

CASING RECORD:

FINISH:

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type H.P.
Capacity G.P.M.

WELL TESTS:
Drawdown ft. after hours G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Temp. °F., 19

SOURCE OF INFORMATION

DRILLER or DIGGER

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

STATE ENGINEER
Salem, Oregon

Well Record

STATE WELL NO. 7/3W-22
COUNTY MARION
APPLICATION NO. _____

M 31.00012

OWNER: HUNT BROS. MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. _____ CITY AND STATE: SALEM, ORE.

_____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Sec. 22 T. 7 ^{N.} S., R. 3 ^{E.} W., W.M.

Bearing and distance from section or subdivision corner _____

Altitude at well _____

TYPE OF WELL: _____ Date Constructed _____

Depth drilled _____ Depth cased _____

Section _____

CASING RECORD:

FINISH:

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type _____ H.P. _____
Capacity _____ G.P.M.

WELL TESTS:

Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER _____ Temp. _____ °F. _____, 19_____

SOURCE OF INFORMATION _____

DRILLER or DIGGER _____

ADDITIONAL DATA:

Log _____ Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS:

STATE ENGINEER
Salem, Oregon

8013
M 71,000

Well Record

STATE WELL NO. 7/3W-22
COUNTY MARION
APPLICATION NO. _____

OWNER: TERMINAL ICE


MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. _____

CITY AND STATE: SALEM, ORE.

1/4 1/4 Sec. 22 T. 7 ^{N.} S., R. 3 ^{E.} W., W.M.

Bearing and distance from section or subdivision corner _____



Section 22

Altitude at well _____

TYPE OF WELL: _____ Date Constructed _____

Depth drilled _____ Depth cased _____

CASING RECORD:

FINISH:

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type _____ H.P. _____
Capacity 50 G.P.M.

WELL TESTS:
Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER _____ Temp. 57 °F. _____, 19____

SOURCE OF INFORMATION _____

DRILLER or DIGGER _____

ADDITIONAL DATA:
Log _____ Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS:

- There Is No Substitute For Experience -

Studebaker Drilling Company

RECEIVED
MAR 5 1964
STATE ENGINEER
SALEM, OREGON

"Over One Quarter Century of Successful Drilling"

Licensed - Insured - Bonded

~~817 LEXINGTON AVENUE~~ Route 2, Box 1-C
~~AKC BLDG, CANTON, OHIO~~ Jacksonville, Oregon

Mr. Jack E. Sceva
516 Public Service Building
Salem, Oregon

Dear Mr. Sceva:

Below is a copy of the log of the First National Bank well in Salem, Oregon. I hope you can obtain some helpful information from it. This well was started May 4, 1946.

All measurements taken from deck--16 feet above floor of basement.

LOG

- 16'-38'--coarse packed gravel and small boulders
- 38'-40'--loose coarse gravel and small boulders, probably some water,
- 40'-53'--cement gravel
- 53'-59'--soft sticky yellow clay mixed with gravel and coarse sand
- 59'-61½'--loose gravel and sand mixed with yellow clay, some water but probably too much sand for perforating.
- 61½'-65'--solid packed yellow clay gravel and sand
- 65'-71'--same as above
- 71'-72'--soft yellow clay mixed with sand and gravel
- 72'-74½'--soft blue clay mixed with sand and gravel (fine gravel) do not perforate
- 74½'-77'--fine gravel coarse and fine sand water
- 77'-90½'--packed blue clay and gravel
- 90½'-92½'--packed blue clay and gravel
- 92½'-96'--yellow clay mixed with fine gravel and sand
- 96'-99'--blue clay fine gravel and sand
- 99'-119'--packed yellow clay and gravel
- 119'-131'--soft yellow sandstone
- 131'-157'--conglomerate rock--sandstone, lava and some coarse gravel--all cemented together, apparently very little water
- 157'-172'--conglomerate rock
- 172'-316'--basalt rock with an occasional shattered or broken-up layer

Test: At end of 12 hours test well produced 111 gallons per minute with approximately one hundred feet of drawdown. Static level before and after test was sixteen feet from deck--basement floor level.

Sincerely,
C. A. Studebaker
C. A. Studebaker

STATE ENGINEER
Salem, Oregon

M131... 2014 Well Record

STATE WELL NO. *7/3W-22*
COUNTY *MARION*
APPLICATION NO. _____

OWNER: *RAMAGES BOTTLE WKS.*


MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. _____

CITY AND STATE: *SALEM, ORE*

1/4 Sec. *22* T. *7* ^{N.} S, R. *3* ^{E.} W., W.M.

Bearing and distance from section or subdivision corner _____



Section *22*

Altitude at well _____

TYPE OF WELL: _____ Date Constructed _____

Depth drilled *66'* Depth cased _____

CASING RECORD:

FINISH:

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type _____ H.P. _____
Capacity *70* G.P.M.

WELL TESTS:
Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER *IND.* Temp. *50* °F., 19 _____

SOURCE OF INFORMATION _____

DRILLER or DIGGER _____

ADDITIONAL DATA:

Log _____ Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS:

Abandoned

WATER WELL REPORT

STATE OF OREGON

AUG 4 1976 State Well No.

(Please type or print)

WATER RESOURCES DEPT. Permit No. 75/3W-21

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(1) OWNER:

Name A. L. Remington Address 1378 Tony Hill Rd Salem Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [] Drilled [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

6" Diam. from 0.41 ft to 31 ft. Gage 2.50

PERFORATIONS:

Perforated? [] Yes [X] No.

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [X] No If yes, by whom? gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used cement Grout Well sealed from land surface to 31 ft. Diameter of well bore to bottom of seal 10 in. Diameter of well bore below seal 6 in. Number of sacks of cement used in well seal 9 sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons lbs./100 gals. a drive shoe used? [] Yes [X] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Marion Driller's well number 1/4 1/4 Section 21 T. 25 R. 34 W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 21 ft. Static level 68 ft. below land surface. Date 7-27-76 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6 Depth drilled 182 ft. Depth of completed well 182 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil, CLAY Red, WEATHERED ROCK, CHALSTONE GRAY, BASALT Broken, BASALT, WEATHERED ROCK, BASALT.

Work started 7-22 1976 Completed 7-27 1976 Date well drilling machine moved off of well 7-27 1976

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Don H. Bennett Date 7-30, 1976 (Drilling Machine Operator) Drilling Machine Operator's License No. 287

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Robinson EOLA Drilling (Person, firm or corporation) (Type or print) Address 4510 DALLAS HWY. SALEM [Signed] George H. Robinson (Water Well Contractor) Contractor's License No. 13 Date 8-3 1976

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

6666 MAY 31 1973

WATER WELL REPORT OF OREGON STATE ENGINEER (Please type or print) (Do not write above this line) STATE ENGINEER SALEM, OREGON

(1) OWNER: *Mrs. Ernest G. Johnson*

Name *Mrs. Ernest G. Johnson*

Address *5747 Euclid Rd. Salem, Oregon*

(2) TYPE OF WORK (check):
 New Well
 Deepening
 Reconditioning
 Abandon

(3) TYPE OF WELL: (4) PROPOSED USE (check):
 Rotary
 Cable
 Driven
 Bored
 Domestic
 Industrial
 Municipal
 Irrigation
 Test Well
 Other

CASING INSTALLED:
 Threaded
 Welded
 6" Diam. from 0 ft. to 96 ft. Gage 350

PERFORATIONS:
 Perforated? Yes No

(7) SCREENS:
 Well screen installed? Yes No

(8) WELL TESTS:
 Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?

(9) CONSTRUCTION:
 Well seal—Material used *Cement & gravel*
 Well sealed from land surface to 18 ft.
 Diameter of well bore to bottom of seal 10 in.
 Diameter of well bore below seal 6 in.
 Number of sacks of cement used in well seal 8 sacks
 Number of sacks of bentonite used in well seal 8 sacks
 Brand name of bentonite _____
 Number of pounds of bentonite per 100 gallons _____
 lbs./100 gals. _____
 Has a drive shoe used? Yes No Pugs _____
 Size: location _____
 Did any strata contain unusable water? Yes No
 Type of water? _____
 depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:
 County *Monroe* Driller's well number *876*
 SE 1/4 Section 21 T. 75 R. 3 W. M. 876
 Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.
 Depth at which water was first found _____ ft.
 Static level *28* ft. below land surface. Date *12/5/73*
 Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:
 Diameter of well below casing _____ ft.
 Depth drilled _____ ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.


MATERIAL	From	To	SWL
<i>Gravel</i>	<i>0</i>	<i>2</i>	
<i>Brown clay</i>	<i>2</i>	<i>24</i>	
<i>Blue clay + gravel</i>	<i>24</i>	<i>28</i>	
<i>Coarse sand (loose)</i>	<i>28</i>	<i>40</i>	
<i>Coarse sand (loose)</i>	<i>40</i>	<i>45</i>	
<i>Coarse sand (loose)</i>	<i>45</i>	<i>51</i>	
<i>Brown clay + sand</i>	<i>51</i>	<i>57</i>	
<i>Blue clay + gravel</i>	<i>57</i>	<i>59</i>	
<i>Coarse sand (loose)</i>	<i>59</i>	<i>61</i>	
<i>Coarse sand (loose) + gravel</i>	<i>61</i>	<i>96</i>	


Work started *Nov. 12* 1973 Completed *12/5/73*
 Date well drilling machine moved off of well *12/5/73*
 Drilling Machine Operator's Certification:
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 (Signed) *M. Johnson* Date *12/6/73*
 Drilling Machine Operator's License No. *876*

Water Well Contractor's Certification:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 Name *Miller & West*
 (Person, firm or corporation) _____
 Address *5875 GATEWAY RD. S.E.*
 (Type of print) _____
 (Signed) *Miller & West*
 Contractor's License No. *37* Date *12-7-73* 1973


APPENDIX D

AERIAL PHOTOGRAPHS







PROJECT SITE




1996

An aerial photograph of a city grid, showing a dense pattern of streets and buildings. A white rectangular box with the text "PROJECT SITE" and a black arrow pointing to the right is overlaid on the image. The arrow points to a specific location within the grid. The image is in black and white and has a grainy, high-contrast appearance.

PROJECT SITE



1980



PROJECT SITE



1971

An aerial photograph of a city grid, tilted at an angle. A white arrow-shaped label with the text "PROJECT SITE" points to a specific block in the grid. A north arrow is located in the bottom right corner, and the year "1958" is printed in a white box at the bottom right. The image shows a dense urban layout with numerous buildings and streets.

PROJECT SITE

1958



PROJECT SITE



1944

An aerial photograph of a city grid from 1936. The image shows a dense pattern of rectangular blocks separated by streets. A white arrow with the text "PROJECT SITE" points to a specific block in the center-left area. The photograph is in black and white with a halftone texture. In the bottom right corner, there is a north arrow and the year "1936".

PROJECT SITE

N

1936

APPENDIX E

SANBORN MAPS





CHEMEKETA ST


HIGH ST

CHURCH ST

COURT ST











CHEMEKETA ST

HIGH ST

CHURCH ST




COURT ST



CHEMEKETA ST

HIGH ST

HOTEL SENATOR




COURT ST

CHURCH ST



CHEMEKETA ST

HIGH ST



CHURCH ST


COURT ST

APPENDIX F

SITE PHOTOGRAPHS



Photograph 1. The Goodman, Goldberg, and Liu properties on Court Street.



Photograph 2. Former service station on the adjacent Statesman Journal property.




Photograph 3. The Senator Hotel (southwest corner).




Photograph 4.

A vacant apartment in the southwest portion of the hotel building.


Photograph 6. Storage in the Senator Hotel basement.



Photograph 5. Typical Marion County office area.




Former location of the Senator Hotel heating oil UST in the east/west alley.



Photograph 8.

Boiler room in the Senator Hotel. Note the asbestos insulation.



Photograph 7.


Photograph 10.
The northwest corner parking lot looking south along High Street.




Photograph 9.
The parking lot on the northwest corner of the subject property.




Photograph 12. The northwest corner parking structure.




Photograph 11. The concrete manway in the northwest parking lot.





Photograph 14. The parking structure boiler room. Note the asbestos insulation on the pipes.




Photograph 13. The northeast corner parking structure from the corner of Church and Chemekeeta Streets.

Photograph 16. County archive material stored in the Bert Building.



Photograph 15. The Bert Building on the right and the Marion County parking lot on the left.



Photograph 18.
Former heating oil UST location behind the covered
County parking lot.




Photograph 17.
Former heating oil UST location behind the Bert Building.




Photograph 20.

The former Chevron Service Station site looking west along
Court Street.



Photograph 19.

The former Chevron Service Station site.





Photograph 21.
Looking south down the north/south alley toward the
County Courthouse.